STATE OF FLORIDA WELL COMPLETION REPORT	
Southwest PLEASE FILL OUT ALL APPLICABLE FIELDS Northwest (* Denotes Required FieldS Where Applicable) St. Johns River South Florida Suwannee River DEP Delegated Authority (if Applicable): Polk	Date Stamp Official Use Only
No.	lineation No.
2. * Number of permitted wells constructed, repaired, or abandoned * Number of permitted wells not constructed, repaired.	ired, or abandoned
3. *Owner's Name SWFWMD 4. *Completion Date 4/12/2018 5. Flori	ida Unique ID
Cypress Pkwy - Davenport	
*Well Location - Address, Road Name or Number, City, ZIP 7. *County Polk *Section 18 Land Grant *Township 27S	*Range 28E
B. Latitude Longitude	Range ZOL
Data Obtained From : GPS Map Survey Datum: NAD 27 NAD 83 WGS 84	V 4
10* TYPE OF WORK: X Construction Repair Modification Abandonment	
11. Specify Intended Use(s) of Well(s):	4
	estigation
Bottled Water Supply Recreation Area Irrigation Livestock X Monitoria	ng
Public Water Supply (Limited Use/DOH) Nursery Irrigation Test	
Public Water Supply (Community or Non Community/DEP) Commercial / Industrial Earth - Community or Non Community (DEP)	Coupled Geothermal
Class I Injection Golf Course Irrigation HVAC S	upply
HVAC R	:eturn
Class V Injection: Recharge Commercial/Industrial Disposal Aquifer Storage & Recovery	Drainage
Remediation: Recovery Air Sparge Other (Describe)	TOTAL DE TOTAL DE CONTRACTOR DATOR AND LITTURES, SPIT LAND
Other (Describe)	
2. *Drill Method: X Auger Cable Tool Rotary Combination (Two or More Methods)	Jetted Sonic
Horizontal Drilling Hydraulic Point (Direct Push) Other	
3. *Measured Static Water Level ft. Measured Pumping Water Level NA ft. After NA Hours a NA	GPM
4. *Measuring Point (Describe) Land Surface Which is 0 ft. Above Below Land Surface *	Flowing X No
5.* Casing Material: Black Steel GalvanizedX _ PVC Stainless Steel Not Cased	Other
6.* Total Well Depth: 31 ft. Cased Depth 26 ft. Open Hole From: NA to NA ft. Screen:From 26 to 31	ft. Slot Size 0.02
ABANDONMENT OTHER (Explain)	
fromft. Toft. No of Bags Seal Material (Check One): Neat Cement Bentonite	eOther
Fromft. Toft. No of Bags Seal Material (Check One): Neat Cement Bentonit Fromft. Toft. No of Bags Seal Material (Check One): Neat Cement Bentonit	*******************
Fromft. Toft. No of Bags Seal Material (Check One): Neat Cement Bentoniti	
fromft. Toft. No of Bags Seal Material (Check One): Neat Cement Bentonit	e Other
SURFACE CASING DIAMETER & DEPTH	
Diamin. Fromft. Toft. # of bagsSeal Material (Check One): Neat CementBentonit	***************************************
Diamin. Fromft. Toft. # of bagsSeal Material (Check One): Neat CementBentonit	eOther
PRIMARY CASING DIAMETER & DEPTH Diam. 2 in. From 0 ft. To 23 ft. # of bags 4.00 Seal Material (Check One): X Neat Cement Bentonit	Otto
Diam. 2 in. From 23 ft. To 26 ft. # of bags 1.00 Seal Material (Check One): Neat Cement Bentonit Diam. in. From ft. To ft. # of bags Seal Material (Check One): Neat Cement Bentonit	
LINER CASING DIAMETER & DEPTH	- Culti
Diamin. Fromft. Toft. # of bags Seal Material (Check One): Neat Cement Bentonit	e Other
Diamin. Fromft. Toft. # of bagsSeal Material (Check One): Neat CementBentonit	eOther
TELESCOPE CASING DIAMETER & DEPTH	
Diamin. Fromft. Toft. # of bagsSeal Material (Check One): Neat CementBentonit Diam. In. From ft. To ft. # of bags Seal Material (Check One): Neat Cement Bentonit	
PUMP TYPE (If Known) CHEMICAL ANALYSIS (When Required)	- Julio
Centrifugal Jet Submersible Turbine Iron ppm Sulfate ppm	Chloride ppm
Horsepower Pump Capacity (GPM) Laboratory Test	Field Test Kit
Pump depthft. Intake Depthft.	
WATER WELL CONTRACTOR	War and the same of the same o
Contractor Name: James Hinst *License No. 9311 Email Address: Jim@drillprol	<u>lc.com</u>
Contractor's Signature :	
I certify that the information in this report is accurate & true.	

SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT 2379 BROAD STREET, BROOKSVILLE, FL 34604-6899 PHONE (352) 796-7211 OR (800) 423-1476 WWW.SWFWMD.STATE.FL.US

ST. JOHNS RIVER WATER MANAGEMENT DISTRICT 4049 REID STREET, PALATKA, FL 32178-1427 PHONE: (386) 329-4500 WWW.SJRWMD.COM

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT 152 WATER MANAGEMENT DR., HAVANA FL 32333-4712 (US HIGHWAY 90, 10 MILES WEST OF TALLAHASSEE) PHONE: (850) 539-5999

PHONE: (850) 539-5999 WWW.NWFWMD.STATE.FL.US

	* Permit No.	NA		
7,	WATER MANAGEM	ENT DISTRICT		

SOUTH FLORIDA WATER MANAGEMENT DISTRICT P.O. BOX 24680 3301 GUN CLUB ROAD WEST PALM BEACH, FL 33416-4680 PHONE: (561) 686-8800 WWW.SFWMD.GOV

SUWANNEE RIVER WATER MANAGEMENT DISTRICE 9225 CR 49 LIVE OAK, FL 32060 PHONE: (386) 362-1001 OR (800) 226-1066 (FLORIDA ONLY)

WWW.MYSUWANNEERIVER.COM

From	0 ft.	LOG (E To		ft. Color	Lt Grey	nanges. Note cavities and dep Grain Size (F, M, C)	F	Material	Sand
From _	10 ft.	То	31	ft. Color	Lt Brown	Grain Size (F, M, C)	M	Material	Sand
From _	ft.	To		ft. Color		Grain Size (F, M, C)	#11.00 mm 1	Material	
rom	ft.	To		ft. Color _		Grain Size (F, M, C)		Material	
rom	ft.	То		ft. Color		Grain Size (F, M, C)		Material	
rom	ft.	To		ft. Color _		Grain Size (F, M, C)		Material	
rom	ft.	To	<u> </u>	ft. Color		Grain Size (F, M, C)		Material	
rom	ft.	To	<u></u>	ft. Color		Grain Size (F, M, C)	4.3. 6.3. 1982	Material	
rom _	ft.	То		ft. Color		Grain Size (F, M, C)	200 mg/mm	Material	
rom _	ft.	To		ft. Color		Grain Size (F, M, C)		Material	
rom _	ft.	То		ft. Color _		Grain Size (F, M, C)	<u> </u>	Material	
rom	ft.	То	***	ft. Color		Grain Size (F, M, C)		Material	
rom	ft.	To		ft. Color		Grain Size (F, M, C)		Material	
OMMEN	NTS								
		***			***************************************				
			'			ailed Site Map of Well Location	1	· · · · · · · · · · · · · · · · · · ·	
	GP V	VO		418028					N

POS 16 POS 17

Give distances from all reference point or structures, septic systems, sanitary hazards, and contamination sources within 500 ft. of well

WELL COMPLETION LOG

Water Mgmt. Dist.:

Permit Number:

 Work Order:
 418028

 Type of Well:
 Monitor

 Well Number:
 PQS 17

 Method Used:
 H S A

 Borehole Diaz.
 10°

Site Information:

Name: Wetland Monitor Wells

Address: C,S,Z: Cypress Pkwy Davenport, FL

S/T/R:

Client / Consultant Information

Consultant: Field Rep: **SFWMD**

Well Diameter	Well Type	Well Depth	Screen Length	Casing Length	Bags Grout	Sand Bags/Weight	Filter Type	Well Seal
4"	PVC	31'	5'	26'	4	4 / 50 lbs.	20/30	Chips
40 ←	Schedule	Slot Size:	0.02		23'	← Feet	7'	1'

