

WELL STATION IDENTIFICATION

FORM RP-37 - Rev. 10/78

PAGE 1 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL LOCATION CARD ONE

1		10		16		20		37		54		57		59		63		66		68		71			
STATION	SURVEY	Y	A	CARD	WELL NO.				COUNTY	LAT	LAT	LAT	LON	LON	LON	DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC	
I. D.	DATE	C								DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC	DEG	MIN	SEC	
048000015020184				W11	RTA-7				GLADES	076	49	06	081	27	57										

WELL LOCATION CARD TWO

1		17		20		37		39		42		45		61	
STATION	SURVEY	Y	A	CARD	QUARTERSECTIONS				SEC	TOWN-	WATER MANAGEMENT DISTRICT		PLANNING AREA		
I. D.	DATE	C							SHIP	RANGE					
				W12	NW1/4; NW1/4; SW1/4				184	2S	29E		LOWER WEST COAST		

WELL DATUM CARD

1		17		20		26		32		38		44		59	
STATION	SURVEY	Y	A	CARD	KELLY BUSH-	LAND SUR-	TOP OF	OTHER (FT)	DATUM (CHECK ONE)						
I. D.	DATE	C			ING (FEET)	FACE (FT)	CASING (FT)	(SEE NOTES)							
				W21		00				MSL-; LS-X; TOC-					

WELL OWNERSHIP CARD

1		17		20		37		54		57		64		80	
STATION	SURVEY	Y	A	CARD	NAME OF OWNER				GROVE/PROPERTY NAME	AREA	TELEPHONE	WELL USE			
I. D.	DATE	C							CODE						
				W31	S.F.W.M.D.							MONITOR			

WELL ORIGIN CARD

1		17		20		37		54		71		76	
STATION	SURVEY	Y	A	CARD	DRILLER/				OFFICE OF	DRILLING		DATE	
I. D.	DATE	C			DRILLING COMPANY				DRILLER (CITY)	METHOD		COMPLETED	
				W41	S.F.W.M.D.					ROTARY			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).

WELL STATION IDENTIFICATION

FORM RP-38 - Rev. 10/78

PAGE 2 OF 2

(COMPLETE THIS FORM ONLY FOR THE INITIAL SURVEY OF EACH WELL)

WELL DESCRIPTION - CONSTRUCTION CARD ONE

1	10	16	20	27	34	41	48	54	59	68
STATION I. D.	SURVEY DATE	CARD C	TOTAL DEPTH -DRILLER (FT)	TOTAL DEPTH -LOGGER (FT)	CASING DEPTH -DRILLER (FT)	CASING DEPTH -LOGGER (FT)	CASING I.D. (INCHES)	BIT SIZE (INCHES)	DRILLER LOG AVAIL.	
0430000	15020184	W51	460	460					YES- <input checked="" type="checkbox"/> ; NO-	

WELL DESCRIPTION - CONSTRUCTION CARD TWO

1	17	20	37	54	59	64	69	73
STATION I. D.	SURVEY DATE	CARD C	TYPE OF SCREEN	TYPE OF PACKING	DIA. OF SCREEN	SLOT SIZE (INCHES)	SCREEN BEGINS	SCREEN ENDS (FT)
		W52	OPEN HOLE					

WELL DESCRIPTION - CONFIGURATION CARD, SECTION ONE (TOP)

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W610							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION TWO

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6202							

WELL DESCRIPTION - CONFIGURATION CARD, SECTION THREE

1	17	20	22	39	44	49	54	59	75
STATION I. D.	SURVEY DATE	CARD C	SEC	TYPE OF CASING	NOM. DIA. (INCHES)	BEGIN DEPTH	END DEPTH (FEET)	THICKNESS (INCHES)	TYPE OF ANNULUS FILL
		W6303							

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W64>, <W65>, <W69> MAY ALSO BE USED TO PROVIDE DATA FOR A TOTAL OF NINE SECTIONS.

WELL SURVEY REPORT

FORM RP-39 -- Rev. 10/78

(USE ONE FORM/DAY/WELL)

SURVEY CARD

1	10	16	20	37	54	56	58	60	62	64	66	68	70	72
STATION	SURVEY	CARD	LOGGED BY	WITNESSED BY	*	*	*	*	*	*	*	*	*	*
I. D.	DATE	C			A	B	C	D	E	F	G	H	I	J
					K	L	M	N	O	P	Q	R	S	T
0430000015020184	W71	P. DAMENHAWER		A. TASSINARI		X	X	X	X				X	X

*INSERT AN <X> IN EACH COLUMN FOR WHICH A SURVEY WAS CONDUCTED. SURVEY CODES ARE LISTED BELOW:

- | | | |
|--------------------------------|---------------------------|--------------------------------|
| A = CALIPER | F = NATURAL GAMMA | K = TEMPERATURE GRADIENT |
| B = FLOWMETER | G = FLUID RESISTIVITY | L = DELTA TEMPERATURE |
| C = 16-INCH NORMAL RESISTIVITY | H = GAMMA GAMMA DENSITY | M = SPONTANEOUS POTENTIAL |
| D = 64-INCH NORMAL RESISTIVITY | I = CASING COLLAR LOCATOR | N = POINT RESISTANCE |
| E = NEUTRON POROSITY | J = FLUID SAMPLER | O = 6-FOOT LATERAL RESISTIVITY |

FLUID QUALITY CARD ONE

1	17	20	37	54	60	63
STATION	SURVEY	CARD	SAMPLE SOURCE	TYPE	DATE	TIME
I. D.	DATE	C	(WELLHEAD, ETC.)	FLUID	SAMPLED	SAMPLED
		W81				

FLUID QUALITY CARD TWO

1	17	20	25	32	35	41	47	53	60	64	70	75
STATION	SURVEY	CARD	TEMP. OF	FIELD SP.	FIELD	CHLORIDE	DISSOLVED	SPEC. COND.	STATIC WATER	W/L REF	FLOW RATE	PUMP RATE
I. D.	DATE	C	SAMPLE	F GRAVITY	PH	(MG/L)	SOLIDS	(U-MHO/CM)	LEVEL (FEET)	FROM	(GAL/MIN)	(GAL/MIN)
		W82										

COMMENT CARDS

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 1	- LINE 2	- LINE 3
		W91			

1	17	20	40	60	76
STATION	SURVEY	CARD	COMMENTS	COMMENTS	COMMENTS
I. D.	DATE	C	- LINE 4	- LINE 5	- LINE 6
		W92			

NOTES: COLUMNS 1-16 ARE DUPLICATED IN EACH CARD.
 COLUMN 16 IS AN ACTION CODE WITH THE FOLLOWING PERMISSABLE STATES - 1 (CREATE NEW RECORD),
 2 (CHANGE ALL VALUES), OR 9 (DELETE OLD RECORD).
 CARD TYPES <W93>, <W94>, <W99> MAY ALSO BE USED TO PROVIDE UP TO A TOTAL OF TWENTY-SEVEN COMMENT LINES.



WELL LOG

WELL LOCATION

County GLADES
 Station I. D. 043000015
 Date 02/01/84 Well No. RTA-7
 Latitude 26° 49' 06" Longitude 81° 27' 57"
NW 1/4 NW 1/4 SW 1/4 Section 18 Township 42S Range 29E
 Owner S.F.W.M.D. Phone _____
 Driller S.F.W.M.D. Date Drilled 02/01/84

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
 Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI
 Comments: _____

WELL CONSTRUCTION

Drilling Method: Rot. xy Air CT Auger _____ Other _____
 T. Depth - Driller 460' T. Depth - Logger 460'
 Casing Depth Driller _____ Casing Depth Logger _____
 Bit Size _____ Casing Dia. I.D. _____
 Hole Dia. 6" From 0' To 460' Dia. _____ From _____ To _____
 Type of Casing _____ Casing Thickness _____
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6'	XXX	Density	()
Caliper	()	cci	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	XXX	Temperature	()
Neutron	XXX	Delta Temp.	()
Natural Gamma	XXX	SP	XXX ✓
Fluid Resistivity	()		





WELL LOG

WELL LOCATION

County GLADES
 Station I. D. 043000015
 Date 02/01/84 Well No. RTA-7
 Latitude 26° 49' 06" Longitude 81° 27' 57"
NW 1/4 NW 1/4 SW 1/4 Section 18 Township 42S Range 29E
 Owner S.F.W.M.D. Phone _____
 Driller S.F.W.M.D. Date Drilled 02/01/84

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
 Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI
 Comments: _____

WELL CONSTRUCTION

Drilling Method: Rot. xy Air CT Auger Other
 T. Depth - Driller 460' T. Depth - Logger 460'
 Casing Depth Driller _____ Casing Depth Logger _____
 Bit Size _____ Casing Dia. I.D. _____
 Hole Dia. 6" From 0' To 460' Dia. From _____ To _____
 Type of Casing _____ Casing Thickness _____
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' XXX Density ()
 Caliper ()
 Flow meter ()
 16', 64" normals XXX Fluid Sampler ()
 Neutron XXX Temperature ()
 Natural Gamma XXX Delta Temp. ()
 Fluid Resistivity XXX SP XXX



BATS ICT 08
 ALSO IN OTHER
 BATS ICT 08
 BATS ICT 08
 ALSO IN OTHER



WELL LOG

WELL LOCATION

County GLADES

Station I. D. 0 4 3 0 0 0 0 1 5

Date 02/01/84 Well No. RTA-7

Latitude 26° 49' 06" Longitude 81° 27' 57"

NW 1/4 NW 1/4 SW 1/4 Section 18 Township 42S Range 29E

Owner S.F.W.M.D. Phone _____

Driller S.F.W.M.D. Date Drilled 02/01/84

WELL CONSTRUCTION

Drilling Method: Rot. xx Air CT Auger Other

T. Depth - Driller 460' T. Depth - Logger 460'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size _____ Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 460' Dia. _____ From _____ To _____

Type of Casing _____ Casing Thickness _____

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | * | Density | () |
| Caliper | () | cci | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | xxx | Temperature | () |
| Neutron Gamma | xxx | Delta Temp. | () |
| Natural Gamma | xxx | SP | xxx |
| Fluid Resistivity | () | | |

