



SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
 Station I.D. 0990000060
 Date 03/06/97 Well No. S-10C-WA
 Latitude 26 22 15 Longitude 80 21 04 X=712457 Y=741014
 SE 1/4 SW 1/4 SE 1/4 NE 1/4 Section 16 Township 47S Range 40E
 Owner S.F.W.M.D. Phone (561)886-8800
 Driller NONE Date Drilled 03/06/97

DATUM

L.S. +23.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA

Scale NA

Digitized By: NA

WELL CONSTRUCTION



Drilling Method: RoL(X) Air() CT() Auger() Other
 T. Depth-Driller 103' T. Depth-Logger 103'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0" To 103" Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' (X) Density ()
 Caliper (X) cd ()
 Flow meter () Fluid Sampler ()
 16", 64" normals (X) Temperature ()
 Neutron (X) Delta Temp. ()
 Natural Gamma (X) SP ()
 Fluid Resistivity () Single Pt. ()

COMMENTS

2 GAMMA/NEUTRON LOGS WERE RUN.





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 0920000080
 Date 03/06/97 Well No. S-10C-WA
 Latitude 26 22 15 Longitude 80 21 04 X=712457 Y=741014
SE 1/4 SW 1/4 SE 1/4 NE 1/4 Section 16 Township 47S Range 40E
 Owner S.F.W.M.D. Phone (561)686-8800
 Driller NONE Date Drilled 03/06/97

DATUM

L.S. +23.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 103' T. Depth-Logger 103'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 103' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR


TYPE OF SURVEYS RUN

Lateral Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS

2 GAMMA/NEUTRON LOGS WERE RUN.

S-10CWA





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 089000060
 Date 03/06/97 Well No. S-10C-WA
 Latitude 26 22 15 Longitude 80 21 04 X=712457 Y=741014
SE 1/4 SW 1/4 SE 1/4 NE 1/4 Section 16 Township 47S Range 40E
 Owner S.F.W.M.D. Phone (561)886-8800
 Driller NONE Date Drilled 03/06/97

DATUM

L.S. +23.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION



Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 103' T. Depth-Logger 103'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 103' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS

2 GAMMA/NEUTRON LOGS WERE RUN.





SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
 Station I.D. 0990000060
 Date 03/06/97 Well No. S-10C-WA
 Latitude 26 22 15 Longitude 80 21 04 X=712457 Y=741014
SE 1/4 SW 1/4 SE 1/4 NE 1/4 Section 16 Township 47S Range 40E
 Owner S.F.W.M.D. Phone (561)686-8800
 Driller NONE Date Drilled 03/06/97

DATUM

L.S. +23.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION


Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 103' T. Depth-Logger 103'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 103' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' (X) Density ()
 Caliper (X) ccl ()
 Flow meter () Fluid Sampler ()
 16", 64" normals (X) Temperature ()
 Neutron (X) Delta Temp. ()
 Natural Gamma (X) SP (X)
 Fluid Resistivity () Single PL. (X)

COMMENTS

2 GAMMA/NEUTRON LOGS WERE RUN.





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION
 County PALM BEACH
 Station I.D. 099000060
 Date 03/06/97 Well No. S-10C-WA
 Latitude 26 22 15 Longitude 80 21 04 X=712457 Y=741014
SE 1/4 SW 1/4 SE 1/4 NE 1/4 Section 16 Township 47S Range 40E
 Owner S.F.W.M.D. Phone (561)886-8800
 Driller NONE Date Drilled 03/06/97

DATUM
L.S. +23.00' T.O.C. NA


FLUID QUALITY
 Date NA Time NA Source of Sample NA
 CI NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA @ o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION
 Drilling Method: Rot() Air() CT() Auger() Other
 T. Depth-Driller 103' T. Depth-Logger 103'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 103' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6"	(X)	Density	()
Caliper	(X)	cd	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	(X)	Temperature	()
Neutron	(X)	Delta Temp.	()
Natural Gamma	(X)	SP	(X)
Fluid Resistivity	()	Single Pt.	(X)

COMMENTS
2 GAMMA/NEUTRON LOGS WERE RUN.





SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
 Station I.D. 0990000060
 Date 03/06/97 Well No. S-10C-WA
 Latitude 26 22 15 Longitude 80 21 04 X=712457 Y=741014
SE 1/4 SW 1/4 SE 1/4 NE 1/4 Section 16 Township 47S Range 40E
 Owner S.F.W.M.D. Phone (561)686-8800
 Driller NONE Date Drilled 03/06/97

DATUM

L.S. +23.00' T.O.C. NA
 FLUID QUALITY
 Date NA Time NA Source of Sample NA
 CI NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 103' T. Depth-Logger 103'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 103' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	cci	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>	Single Pt.	<input checked="" type="checkbox"/>

COMMENTS

2 GAMMA/NEUTRON LOGS WERE RUN.

