











| | | |
|---|---|--|
| Site Name TOHO1 GW1 | | Date of Field Work July 13, 2015 |
| Party Chief Strickland/Clanton | Field Book Name/Number MISC FB # 6X | Page Number 28 |
| Site Benchmark Name TOHO1 2006 | Benchmark Elevation (NAVD88) 63.134ft | Datum Offset to NGVD29 + 1.03 |
| Reference Elevation (NAVD 88) 65.97ft | | Existing Tag Elevation (Datum) 67.00ft (NGVD 29) |
| Notes: Ground elevation = 63.88ft (NAVD 88). Corpscon v6.0.1 offset = +1.03, Field offset = +1.03 | | |

Photographs:

| | | |
|---|---|--|
| <p>Overall Site</p>  | <p>Benchmark Close Up</p>  | <p>Benchmark Location</p>  |
| <p>Brass Tag Close Up</p>  | <p>Brass Tag + Reference Mark</p>  | <p>Staff Gauge N/A</p> |

| | | |
|--|---|---|
| Site Name TOHO1 GW2 | | Date of Field Work July 13, 2015 |
| Party Chief Strickland/Clanton | Field Book Name/Number MISC FB # 6X | Page Number 28 |
| Site Benchmark Name TOHO1 2006 | Benchmark Elevation (NAVD88) 63.134ft | Datum Offset to NGVD29 + 1.03 |
| Reference Elevation (NAVD 88) 66.08ft | | Existing Tag Elevation (Datum) 67.108ft (NGVD 29) |
| Notes: Ground elevation = 63.88ft (NAVD 88). Corpscon v6.0.1 offset = +1.03, Field offset = +1.028 | | |

Photographs:

| | | |
|---|---|--|
| <p>Overall Site</p>  | <p>Benchmark Close Up</p>  | <p>Benchmark Location</p>  |
| <p>Brass Tag Close Up</p>  | <p>Brass Tag + Reference Mark</p>  | <p>Staff Gauge N/A</p> |



PROPERTY OF:

South Florida Water Management District

RTU Name: TOHO1

Contact SCADA: 561-682-2047

TOHO 1 GW1
ELEV. 67.00
DATE 9 30 08
BY EE BK
NAVD NGVD 29





TOHO 1 GW 2
ELEV. 67.108
DATE 9 30 08
BY EE BK
NAVD NGVD 29

FLA. WATER MANAGEMENT DIST.
SURVEY
B M
TO HO 1
OS MARKER 1999



TOHO 1
MIL. SPEC. 108
912
08
08
23




S. FL. WATER MGT. DISTRICT
STATION DESIGNATION

TOH01



YEAR 2006

SURVEY MARKER
DO NOT DISTURB



eechobee, Fl
FL-710 E, US-44
nners Rd to Hat
County

Head north on N
2nd St

2. Turn right onto 1

3. Turn right at the
4th Ave

4. Turn left onto

STN TOH01 GW1
ELEV. 65.97
DATE 7.13.15
BY JS TC
NAVD 88 NGVD
OFFSET + 1.03

STN TOH01 GW2
ELEV. 66.08
DATE 7.13.15
BY JS TC
NAVD 88 NGVD
OFFSET + 1.03

| SEC | 33 | TWP | 26 | RGE | 30 |
|--|------|-------|------|-------|-------------------|
| ESTABLISH NAVD 88 ELEV @ TOHO 1 GW WELLS | | | | | |
| STA | + | HI | - | ELEV | BM ELEV |
| BM | | | | 63.13 | 63.134 NAVD 88 |
| | 5.65 | | | | |
| | 1.12 | 68.78 | | | |
| GW1 | | | 2.81 | 65.97 | |
| GW2 | | | 2.70 | 66.08 | |
| GRND | | | 4.9 | 63.88 | |
| BM TOHO 1 1999 | | | 5.21 | 63.57 | 63.57 NAVD 88 |
| | 4.99 | | | | |
| | 1.78 | 68.56 | | | |
| BM | | | 5.43 | 63.13 | 63.13 |
| | | | 1.34 | | |

STRICKLAND
CLINTON

COMMENTS

BM TOHO 1 2006 SF WINDS BRASS DISK FD GOOD COND
EL VIA PHONE AMELIA RODRIGUEZ


TOHO GW1 2" PVC PIPE "X" NE SIDE

TOHO GW2 2" PVC PIPE "X" NW SIDE

GROUNDS @ WELLS

BM TOHO 1 BM 1999 FD SF WINDS ALUM CAP IN CONE
GOOD COND FLUSH W/ GRND 1.4' NORTH OF POWER POLE, W/ WITNESS SIGN ATTACHED TO N. SIDE

BM TOHO 1 2006 BRASS DISK





Survey Data Entry and Retrieval Application (SDERA) Print Output

Control Point Search Results

Derived Data - Denoted By:

**

| | | | |
|--------------------------|--------------------|-----------------------------|------------|
| Designation | TOHO12006 | Record State | ACCEPTED |
| NGS PID | | | |
| Project Name | TOHO 01 WELL SITE | Date Entered/Updated | 06/27/2009 |
| Updated By | ATLAS DATA LOAD | Status | |
| Party Chief | | Type | V |
| Monument Set By | KEITH & SCHNARS PA | Date Established | 01/01/2006 |
| County | OSCEOLA | Section | 33 |
| Township | 26 | Range | 30 |
| Quadrangle | ST CLOUD SOUTH | Offset (29 to 88) | |
| NGS Source BM | | CCR Link | |
| Ctrl Pt Source(s) | | | |

| <u>Horizontal</u> | <u>NAD 1927</u> | <u>NAD 1983</u> | <u>Vertical</u> | <u>NGVD 1929</u> | <u>NAVD 1988</u> |
|-------------------|-----------------|-----------------|------------------|------------------|------------------|
| Latitude | | 28 10 26.0 | Class | | |
| Longitude | | 81 18 44.3 | Order | 3 | 3 |
| Northing(Y) | | 1396054.0 | Elevation | 64.158 | 63.134 |
| Easting(X) | | 555549.0 | Measurement Unit | Feet | Feet |
| Class | | | | | |
| Order | | | | | |
| NAD83 Adj Year | | | | | |

Field Book

1156

Field Book Pages

57

Stamping

TOHO-1 2006

How to Reach**Description**

THE BENCHMARK IS LOCATED 5.5 MILES SOUTHWEST OF SAINT CLOUD. TO REACH THE MARK FROM THE INTERSECTION OF U.S. 192 AND VERMONT AVE. IN SAINT CLOUD TRAVEL SOUTH ALONG VERMONT AVE. A DISTANCE OF 4.8 MILES (VERMONT AVE. WILL TURN INTO CANOE CREEK RD.) TO FRIARS COVE RD. THEN TRAVEL 1.8 MILES WEST ALONG FRIARS COVE RD. TO PARTIN RANCH RD. THEN TRAVEL SOUTH ALONG PARTIN RANCH RD. A DISTANCE OF 0.2 MILES. THE MARK IS 0.13 MILES WEST OF THE GATE TO PARTIN RANCH PROPERTY, 15 NORTHWEST


OF THE WELL STRUCTURE, AND 300 NORTH WEST OF A GATE NEXT TO THE CATTLE LOADING AREA.

THE STATION IS A SOUTH FLORIDA WATER MANAGEMENT DISTRICT BRASS DISK SET IN CONCRETE MONUMENT
STAMPED TOHO 1 / 2006

DISCLAIMER:

The South Florida Water Management District (hereinafter referred to as the DISTRICT) shall not be held liable for improper or incorrect use of the data, information, apparatus, products, processes or materials described and/or contained herein. These data, information, apparatus, products, processes, materials and related graphics are not legal documents and are not intended to be used as such. The user hereby recognizes that the information, data, apparatus, products, processes and materials are dynamic and may change over time without notice. However, the DISTRICT makes no commitment to update the information, data, apparatus, products, processes or materials contained herein.

SOUTH FLORIDA WATER MANAGEMENT DISTRICT



Survey Data Entry and Retrieval Application (SDERA) Print Output

Control Point Search Results

Derived Data - Denoted By: **

| | | | |
|-------------------|---|----------------------|------------|
| Designation | TOHO1 | Record State | ACCEPTED |
| NGS PID | | | |
| Project Name | TOHO 01 WELL SITE | Date Entered/Updated | 11/10/2015 |
| Updated By | helmke | Status | |
| Party Chief | | Type | V |
| Monument Set By | SOUTH FLORIDA WATER MANAGEMENT DISTRICT | Date Established | 01/01/1999 |
| County | | Section | 33 |
| Township | 26 | Range | 30 |
| Quadrangle | ST CLOUD SOUTH | Offset (29 to 88) | |
| NGS Source BM | | CCR Link | |
| Ctrl Pt Source(s) | | | |

| <u>Horizontal</u> | <u>NAD 1927</u> | <u>NAD 1983</u> | <u>Vertical</u> | <u>NGVD 1929</u> | <u>NAVD 1988</u> |
|-------------------|-----------------|-----------------|------------------|------------------|------------------|
| Latitude | | 28 10 25.0 | Class | | |
| Longitude | | 81 18 43.0 | Order | 3 | 3 |
| Northing(Y) | | 1396054.0 | Elevation | 64.46 | 63.57 |
| Easting(X) | | 555549.0 | Measurement Unit | Feet | Feet |
| Class | | | | | |
| Order | | | | | |
| NAD83 Adj Year | | | | | |

Field Book
OSCEOLA CO WELLS 14

Field Book Pages
61

Stamping
B.M. TOHO 1

How to Reach

Description
 *****RECOVERY*****
 7/13/2015 SFWMD FOUND BM TOHO 1 1999 1.4 FEET NORTH OF POWER POLE ATTACHED METAL WITNESS SIGN TO NORTH SIDE OF POWER POLE. AND 110.8 FEET SOUTH EAST OF RTU BOX AT WELL SITE. FLUSH WITH GROUND. NAVD 88 ELEVATION MISC FIELD BOOK 6 X PAGE 28 JNS***** OLD SFWMD NGVD ELEVATION 64.46 *****
 FROM THE INTERSECTION OF COUNTY ROAD 525 (CR 525) (CANOE CREEK RD) AND FRIAR S COVE ROAD; GO WEST ON FRAIR S COVE ROAD 1.85 MILES TO THE ENTRANCE TO H.O. PARTIN RANCH (ROY) ON THE SOUTH SIDE OF THE ROAD; THENCE GO SOUTH ON SAID ENTRANCE ROAD A DISTANCE OF 0.25 OF A MILE TO A GATE;
 GO THRU THENCE GO WEST 0.1 OF A MILE TO THE WEST SIDE OF COW PENS; THENCE GO NORTH 200 FEET MORE OR LESS TO A GATE; GO THRU THE GATE AND THENCE GO WEST 350 FEET MORE OR LESS ALONG SAID FENCE LINE (SAID FENCE LINE BEING THE APPROXIMATE TOWNSHIP LINE) TO STATION LOCATION.

STATION IS 1.0 FEET NORTH OF AN EAST/WEST FENCE THAT THE LAST GATE WAS ON.
 STATION IS NORTH OF POWER POLE #6-44995 AND INLINE WITH A POWER LINE TO THE SOUTH. THE POWER POLE HAS A GUIDE WIRE TO THE NORTHEAST AND WEST.

STATION IS 112.3 FEET SOUTHEAST OF TOHO 1 WELL.

STATION IS A 1 1/4 X18 IRON PIPE WITH A CONCRETE COLLAR AND A SOUTH FLORIDA WATER MANAGEMENT DISTRICT ALUMINUM DISK STAMPED B.M. TOHO 1.

TOHO 1 WELL SITE DATA

EL. 67.29 NGVD 1929 TOP AND EAST SIDE OF 8-INCH STEEL PIPE AT WELL.

SOURCE BENCHMARK: SFWMD OS 113 1981 EL. 75.203 NGVD 1929

DISCLAIMER:

The South Florida Water Management District (hereinafter referred to as the DISTRICT) shall not be held liable for improper or incorrect use of the data, information, apparatus, products, processes or materials described and/or contained herein. These data, information, apparatus, products, processes, materials and related graphics are not legal documents and are not intended to be used as such. The user hereby recognizes that the information, data, apparatus, products, processes and materials are dynamic and may change over time without notice. However, the DISTRICT makes no commitment to update the information, data, apparatus, products, processes or materials contained herein.