



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000071

Date 07/15/92 Well No. OKS-94

Latitude 27° 23' 42.00" Longitude 80° 45' 46.00"

S.W. 1/4 E. 1/4 Section 30 Township 35S Range 36E

Owner S.E.W.M.D. Phone _____

Driller R. BENTON Date Drilled 07/15/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 238' T. Depth - Logger 238'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 238' Dia. From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. Monitor Test Hole

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +65.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ Jumbos/cm

Logged By: E.P. DAUBENHAUER Witnessed By: J. HERR

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|--------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' Caliper | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | occl | <input type="checkbox"/> |
| 16' 64" normals | <input checked="" type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | SP | <input type="checkbox"/> |
| | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000071

Date 07/15/92 Well No. OKS-94

Latitude 27° 23' 42" N Longitude 80° 45' 46" W

S.W. $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 30 Township 35S Range 36E

Owner S.E.W.M.D. Phone _____

Driller P. BENTON Date Drilled 07/15/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 238' T. Depth - Logger 238'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 238' Dia. _____ From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. Monitor Test Hole

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +65.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUBENHAWER Witnessed By: J. HEER

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input checked="" type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000071

Date 07/15/92 Well No. OKS-94

Latitude 27° 23' 42.1" Longitude 80° 45' 46.90"

S.W. $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 30 Township 35S Range 36E

Owner S.E.W.M.D. Phone _____

Driller P. BENTON Date Drilled 07/15/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 238' T. Depth - Logger 238'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 238' Dia. From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. Monitor Test Hole

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +65.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E. P. DAUBENHAUER Witnessed By: J. HEAR

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |



OKS-94

00050			
00100			
00150			
00200			



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000071

Date 07/15/92 Well No. OKS-94

Latitude 27° 23' 43.00" Longitude 80° 45' 46.90"

SW 1/4 NE 1/4 SE 1/4 Section 30 Township 35S Range 36E

Owner S.E.W.M.D. Phone _____

Driller P. BENTON Date Drilled 07/15/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 238' T. Depth - Logger 238'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 238' Dia. _____ From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. Monitor Test Hole

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. +65.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: E.P. DAUBENHAWER Witnessed By: J. HERR

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Calliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKECHOBEE

Station I. D. 093000071

Date 07/15/92 Well No. OKS-94

Latitude 27° 23' 42" N Longitude 80° 45' 46" W

SW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 30 Township 35S Range 36E

Owner S.E.W.M.D. Phone _____

Driller P. BENTON Date Drilled 07/15/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 238' T. Depth - Logger 238'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 238' Dia. _____ From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. Monitor Test Hole

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +65.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUBENHAWER Witnessed By: J. HEAR

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- | | | | |
|--------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' Caliper | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | ocel | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | SP | <input type="checkbox"/> |
| | | Single pt. | <input type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKECHOOBEE

Station I. D. 093000071

Date 07/15/92 Well No. OKS-94

Latitude 27° 23' 47.0" Longitude 80° 45' 46.0"

SW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 30 Township 35S Range 36E

Owner S.E.W.M.D. Phone _____

Driller P. BENTON Date Drilled 07/15/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 238' T. Depth - Logger 238'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 238' Dia. _____ From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. Monitor Test Hole

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +65.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm

Logged By: E.P. DAUBENHAVER Witnessed By: J. HEER

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- Lateral 6' Caliper Density
- Flow meter ocl
- 16" 64" normals Fluid Sampler
- Neutron Temperature
- Natural Gamma Delta Temp.
- Fluid Resistivity SP
- Single pt. Single pt.

