



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE
 Station I. D. 0930000068
 Date 04/22/92 Well No. OKS-90
 Latitude 27° 23' 38" Longitude 80° 51' 31"
 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 29 Township 35S Range 35E
 Owner S.F.W.M.D. Phone _____
 Driller P. BENTON Date Drilled 04/22/92
 WELL CONSTRUCTION
 Drilling Method: Rot. Air Auger Other _____
 T. Depth - Driller 198' T. Depth - Logger 198'
 Casing Depth Driller _____ Casing Depth Logger _____
 Bit Size 5 7/8" Casing Dia. I.D. _____
 Hole Dia. 6" From 0' To 198' Dia. _____ From _____ To _____
 Type of Casing OPEN HOLE Casing Thickness _____
 Type of Screen _____ Screen Int. From _____ To _____
 Type of Packing _____ Well Use Monitor
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. + 48.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm


Logged By: E.P. DAUBENBERG Witnessed By: J. HEAR

Comments: Well was cased & screened after logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input type="checkbox"/> | occl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |

OKS-90





FORM 0395
REV. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000068

Date 04/22/92 Well No. OKS-90

Latitude 27° 23' 38" Longitude 80° 51' 31"

SW 1/4 NW 1/4 SW 1/4 Section 29 Township 35S Range 35E

Owner S.F.W.M.D. Phone _____

Driller P. BENTON Date Drilled 04/22/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 198' T. Depth - Logger 198'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 198' Dia. From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use Monitor

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +48.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUBENBERG Witnessed By: J. HEAR

Comments: Well was cased & screened after logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000068

Date 04/22/92 Well No. OKS-90

Latitude 27° 23' 38" Longitude 80° 51' 31"

SW 1/4 NW 1/4 SW 1/4 Section 29 Township 35S Range 35E

Owner S.F.W.M.D. Phone _____

Driller P. BENITON Date Drilled 04/22/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 198' T. Depth - Logger 198'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 198' Dia. _____ From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use Monitor

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. +48.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUBENBERG Witnessed By: J. HERR

Comments: Well was cased & screened after logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000068

Date 04/22/92 Well No. OKS-90

Latitude 27° 23' 38" Longitude 80° 51' 31"

SW 1/4 NW 1/4 SW 1/4 Section 29 Township 35S Range 35E

Owner S.F.W.M.D. Phone _____

Driller P. BENTON Date Drilled 04/22/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 198' T. Depth - Logger 198'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 198' Dia. _____ From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use MENITON

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +48.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUBENBERG Witnessed By: J. HEAR

Comments: Well was cased & screened after logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OKEECHOBEE

Station I. D. 093000068

Date 04/22/92 Well No. OKS-90

Latitude 27° 23' 38" Longitude 80° 51' 31"

SW 1/4 NW 1/4 SW 1/4 Section 29 Township 35S Range 35E

Owner S.F.W.M.D. Phone _____

Driller P. BENTON Date Drilled 04/22/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 198' T. Depth - Logger 198'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 5 7/8" Casing Dia. I.D. _____

Hole Dia. 6" From 0' To 198' Dia. _____ From _____ To _____

Type of Casing OPEN HOLE Casing Thickness _____

Type of Screen _____ Screen Int. From _____ To _____

Type of Packing _____ Well Use Monitor

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. +48.0 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ Jumbos/cm

Logged By: E.P. DAUENHAEFER Witnessed By: J. HEAR

Comments: Well was cased & screened after logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input checked="" type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |

