



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000073

Date 09/16/92 Well No. OKS-96

Latitude 27° 31.58" Longitude 80° 57.04"

NW 1/4 SE 1/4 NW 1/4 Section 08 Township 34S Range 34E

Owner S.E.W.M.D Phone (407) 686-8800

Driller P. BENTON Date Drilled 09/16/92

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger Other

T. Depth - Driller 140' T. Depth - Logger 140'

Casing Depth Driller Casing Depth Logger

Bit Size 5 7/8" Casing Dia. I.D.

Hole Dia. 6" From 0' To 140' Dia. From To

Type of Casing OPENHOLE Casing Thickness

Type of Screen Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. +68.00' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. μmhos/cm



Logged By: D. DEMONSTRANTE Witnessed By: M. BRAUN

Comments: WELL WAS SCREENED AND CASED AFTER

Logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000073

Date 09/16/92 Well No. OKS-96

Latitude 27° 31.58" Longitude 80° 57.04"

NW 1/4 SE 1/4 NW 1/4 Section 08 Township 34S Range 34E

Owner S.F.W.M.D Phone (407) 686-8800

Driller P. BENTON Date Drilled 09/16/92

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other

T. Depth - Driller 140' T. Depth - Logger 140'

Casing Depth Driller Casing Depth Logger

Bit Size 5 7/8" Casing Dia. I.D.

Hole Dia. 6" From 0' To 140' Dia. From To

Type of Casing OPENHOLE Casing Thickness

Type of Screen Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. + 68.00' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. μmhos/cm


Logged By: D. DEMONSTRANTE Witnessed By: M. BRAUN

Comments: WELL WAS SCREENED AND CASPED AFTER

Logging.

TYPE OF SURVEYS RUN

- Lateral 6' Density
- Calliper ocl
- Flow meter Fluid Sampler
- 16" 64" normals Temperature
- Neutron Delta Temp.
- Natural Gamma SP
- Fluid Resistivity Single pt.



OKS-96

00050 00100



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000073

Date 09/16/92 Well No. OKS-96

Latitude 27° 31.58" Longitude 80° 57.04"

NW 1/4 SE 1/4 NW 1/4 Section 08 Township 34S Range 34E

Owner S.E.W.M.D Phone (407) 686-8800

Driller P. BENTON Date Drilled 09/16/92

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other

T. Depth - Driller 140' T. Depth - Logger 140'

Casing Depth Driller Casing Depth Logger

Bit Size 5 7/8" Casing Dia. I.D.

Hole Dia. 6" From 0' To 140' Dia. From To

Type of Casing OPENHOLE Casing Thickness

Type of Screen Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. +68.00' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. µmhos/cm

Logged By: D. DEMONSTRANTA Witnessed By: M. BRAUN

Comments: WELL WAS SCREENED AND CASED AFTER


Logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single Pt. | <input checked="" type="checkbox"/> |

116/92

NO B.P.





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000073

Date 09/16/92 Well No. OKS-96

Latitude 27° 31' 58" Longitude 80° 57' 04"

NW 1/4 SE 1/4 NW 1/4 Section 08 Township 34S Range 34E

Owner S.F.W.M.D Phone (407) 686-8800

Driller P. BENTON Date Drilled 09/16/92

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other

T. Depth - Driller 140' T. Depth - Logger 140'

Casing Depth Driller Casing Depth Logger

Bit Size 5 7/8" Casing Dia. I.D.

Hole Dia. 6" From 0' To 140' Dia. From To

Type of Casing OPENHOLE Casing Thickness

Type of Screen Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. +68.00' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: D. DEMONSTRANTE Witnessed By: M. BRAUN


Comments: WELL WAS SCREENED AND CASED AFTER

Logging.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Calliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input checked="" type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |

OKS-96





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OKEECHOBEE

Station I. D. 0930000073

Date 09/16/92 Well No. OKS-96

Latitude 27° 31' 58" Longitude 80° 57' 04"

NW 1/4 SE 1/4 NW 1/4 Section 08 Township 34S Range 34E

Owner S.F.W.M.D Phone (407) 686-8800

Driller P. BENITON Date Drilled 09/16/92

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 140' T. Depth - Logger 140'

Casing Depth Driller Casing Depth Logger

Bit Size 5 7/8" Casing Dia. I.D.

Hole Dia. 6" From 0' To 140' Dia. From To

Type of Casing OPENHOLE Casing Thickness

Type of Screen Screen Int. From To

Type of Packing Well Use MONITOR

Static Water Level Date

Yield Flow Pump

WELL LOG

DATUM

K.B. L.S. +68.00' T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C

T.D.S. mg/l Spec. Cond. umhos/cm

Logged By: D. DEMONSTRANTE Witnessed By: M. BRAUN

Comments: WELL WAS SCREENED AND CASED AFTER

Logging.

TYPE OF SURVEYS RUN

- Lateral 6' Density
- Caliper ocl
- Flow meter Fluid Sampler
- 16", 64" normals Temperature
- Neutron Delta Temp.
- Natural Gamma SP
- Fluid Resistivity Single Pt.

