

PROJECT Hendry Co. WELL NO. Alico 1 Pilot DATE 6/9/87

1-CAS se 155
1-C20 se 60
1-3C use

DEPTH	DESCRIPTION - ROCK TYPE, COLOR, HARDNESS, OTHER
0-5	dk brown sand
5-7	lt tan sand
7-15	gray sandy clay
15-16	clear sand
16-19 1/2	gray sandy clay, clear sand
19 1/2-22	sandstone, gray, orange, sand
22-25	shell, sandstone
25-33	sandstone, lg rounded clear grains, loosely cemented drilled quickly, little chatter
33-37	hard, well cemented sandstone, shell
37-42	sandstone, quick drilling sand
42-60	clear gray sandstone - very soft, loosely cemented very quick drilling
60-80	dk ^{clear to} gray sand smooth rapid drilling
80-94	sandstone, very loosely cemented, some chatter
94-100	alternating hard & soft sandstone, chatter dk gray shell
100-102	constant chatter, well cemented sandstone, shell
102-115	alternating hard & soft sandstone dk gray shell
115-122	constant chatter, shell, limestone, clay stringers
122-142	alternating hard & soft sandstone
142-162	" " " "
162-182	soft sandstone, loose sand bit jettied down
182-185	" " sand
185-187	coarse clastics
187-197	green clay
197-202	chatter, shell pieces, green clay
202-205	" " "
205-215	sand, sandstone, jettied down
215-222	sandstone, ^{coarse} sand, some chatter
222-235	sand, clay
235-240	clay, shell bit chatter coarse sand
240-260	soft sandy clay
260-262	sandy phosphatic green clay
260-280	soft green clay

screen

