

Elapsed Time (Min)	H/Ho	Datalogger Levels (Ft)	Drawdown
0		8.57	5.23
0.0033		12.21	1.59
0.0066		10.74	3.06
0.0099		10.29	3.51
0.0133		9.68	4.12
0.0166		10.02	3.78
0.02		10.34	3.46
0.0233	1	9.33	4.47
0.0266	0.96868	9.47	4.33
0.03	0.908277	9.74	4.06
0.0333	0.903803	9.76	4.04
0.05	0.883669	9.85	3.95
0.0666	0.861298	9.95	3.85
0.0833	0.845638	10.02	3.78
0.1	0.829978	10.09	3.71
0.1166	0.816555	10.15	3.65
0.1333	0.803132	10.21	3.59
0.15	0.787472	10.28	3.52
0.1666	0.774049	10.34	3.46
0.1833	0.762864	10.39	3.41
0.2	0.749441	10.45	3.35
0.2166	0.736018	10.51	3.29
0.2333	0.724832	10.56	3.24
0.25	0.713647	10.61	3.19
0.2666	0.700224	10.67	3.13
0.2833	0.689038	10.72	3.08
0.3	0.677852	10.77	3.03
0.3166	0.666667	10.82	2.98
0.3333	0.653244	10.88	2.92
0.4167	0.606264	11.09	2.71
0.5	0.559284	11.3	2.5
0.5833	0.514541	11.5	2.3
0.6667	0.47651	11.67	2.13
0.75	0.440716	11.83	1.97
0.8333	0.407159	11.98	1.82
0.9167	0.375839	12.12	1.68
1	0.346756	12.25	1.55
1.0833	0.322148	12.36	1.44
1.1667	0.297539	12.47	1.33
1.25	0.275168	12.57	1.23
1.3333	0.255034	12.66	1.14
1.4166	0.237136	12.74	1.06
1.5	0.217002	12.83	0.97
1.5833	0.203579	12.89	0.91

1.6667	0.187919	12.96	0.84
1.75	0.174497	13.02	0.78
1.8333	0.161074	13.08	0.72
1.9167	0.147651	13.14	0.66
2	0.136465	13.19	0.61
2.5	0.087248	13.41	0.39
3	0.055928	13.55	0.25
3.5	0.038031	13.63	0.17
4	0.022371	13.7	0.1
4.5	0.01566	13.73	0.07
5	0.011186	13.75	0.05
5.5	0.006711	13.77	0.03
6	0.004474	13.78	0.02
6.5	0.004474	13.78	0.02
7	0.004474	13.78	0.02
7.5	0.002237	13.79	0.01
8	0.002237	13.79	0.01
8.5	0.002237	13.79	0.01
9	0.002237	13.79	0.01
9.5	0.002237	13.79	0.01
10	0.002237	13.79	0.01
11	0	13.8	0
12	0	13.8	0