



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0910000023

Date 2/19/91 Well No. OSF-60

Latitude 27°-41'-49" Longitude 80°-53'-18"

SW 1/4 NW 1/4 NE 1/4 Section 14 Township 32S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORSTON Drilling Rig Date Drilled 2/19/91

WELL CONSTRUCTION

Drilling Method: Rot. Air Auger Other

T. Depth - Driller 330' T. Depth - Logger 328'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 1 7/8" Casing Dia. I.D. _____

Hole Dia. 8" From 0' To 328' Dia. _____ From _____ To _____

Type of Casing OPENHOLE Casing Thickness _____

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use R.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____ @ _____ °C

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: M. BRAUN

Comments: PILOT HOLE

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ccl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single Point | <input checked="" type="checkbox"/> |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0910000023

Date 2/19/91 Well No. OSF-60

Latitude 27°-41'-49" Longitude 80°-53'-48"

SW 1/4 NW 1/4 NE 1/4 Section 14 Township 32S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORRISON DESIGN & PUMP Date Drilled 2/19/91

WELL CONSTRUCTION

Drilling Method: Rot. V/Air CT Auger Other

T. Depth - Driller 330' T. Depth - Logger 328'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 7 7/8" Casing Dia. I.D. _____

Hole Dia. 8" From 0' To 328 Dia. _____ From _____ To _____

Type of Casing OPENHOLE Casing Thickness _____

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use RPT

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____ @ _____ °C

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ µmhos/cm

Logged By: E.P. DAUBENHAUER Witnessed By: M. BRAUN

Comments: PILLOT HOLE

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | (X) | Density | () |
| Caliper | (X) | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16" 64" normals | (X) | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | (X) | SP | (X) |
| Fluid Resistivity | () | Single Point | (X) |





FORM 0395
REV. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0970000023

Date 2/19/91 Well No. OSF-60

Latitude 27°-41'-49" Longitude 80°-53'-48"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 14 Township 32 S Range 34 E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORSTON DRILLING Date Drilled 2/19/91

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 330' T. Depth - Logger 328'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 7 7/8" Casing Dia. I.D. _____

Hole Dia. 8" From 0' To 328' Dia. _____ From _____ To _____

Type of Casing OPENHOLE Casing Thickness _____

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAVENHAWER Witnessed By: M. BRAUN

Comments: PILOT HOLE

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16', 64" normals | <input type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single Point | <input checked="" type="checkbox"/> |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0970000023

Date 2/19/91 Well No. OSF-60

Latitude 27°-41'-49" Longitude 80°-53'-48"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 14 Township 32 S Range 34 E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORSTON DRILLING Date Drilled 2/19/91

WELL CONSTRUCTION

Drilling Method: Rot. V Air CT Auger Other

T. Depth - Driller 330' T. Depth - Logger 328'

Casing Depth Driller Casing Depth Logger

Bit Size 7 7/8" Casing Dia. I.D.

Hole Dia. 8" From 0' To 328 Dia. From To

Type of Casing OPENHOLE Casing Thickness

Type of Screen OPENHOLE Screen Int. From To

Type of Packing Well Use R.P.T.

Static Water Level Date

Yield Flow Pump

DATUM

K.B. L.S. T.O.C.

FLUID QUALITY

Date Time Source of Sample

Cl mg/l Type of Fluid

Temp. °C Field Density @ °C



T.D.S. mg/l Spec. Cond. μmhos/cm

Logged By: E.P. DBENHAUER Witnessed By: M. BRAUN

Comments: PILOT HOLE

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | (X) | Density | () |
| Calliper | (X) | ccl | () |
| Flow meter | () | Fluid Sampler | () |
| 16", 64" normals | (X) | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | (X) |
| Fluid Resistivity | () | Single Point | (X) |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0910000023

Date 2/19/91 Well No. OSF-60

Latitude 27°-41'-49" Longitude 80°-53'-48"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 14 Township 32 S Range 34 E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORTON DRILLING Date Drilled 2/19/91

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 330' T. Depth - Logger 328'

Casing Depth Driller _____ Casing Depth Logger _____

Bit Size 7 7/8" Casing Dia. I.D. _____

Hole Dia. 8" From 0' To 328' Dia. _____ From _____ To _____

Type of Casing OPENHOLE Casing Thickness _____

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use R.P.T.

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. _____ T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm


Logged By: E.P. DAUBENHAUER Witnessed By: M. SKAWN

Comments: PILOT HOLE

TYPE OF SURVEYS RUN

- | | | | |
|--------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' Caliper | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single Point | <input checked="" type="checkbox"/> |

CALIPER HOLE DIA. 2" 4" 6" 8" 10" 12" 14"



OSF-60



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 097000023

Date 4/30/91 Well No. OSF-60

Latitude 27° 41' 49" Longitude 80° 53' 48"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 14 Township 32S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MOISTON DISTRICT PUMP Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 590' T. Depth - Logger 589'

Casing Depth Driller _____ Casing Depth Logger 326'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 589' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.02"

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 65' T.O.C. + 1.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.R. DAUSHAUER Witnessed By: D. BUTLER

Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|--------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6" Caliper | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | ocl | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Natural Gamma | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0970000023

Date 4/30/91 Well No. OSF-60

Latitude 27° 41' 49" Longitude 80° 53' 48"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 14 Township 32S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MORRIS DRILL & PUMP Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 590' T. Depth - Logger 589'

Casing Depth Driller _____ Casing Depth Logger 326'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 589' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.02"

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 65' T.O.C. + 1.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUBENHAUER Witnessed By: D. BUTLER

Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | cc | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta T emp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 0970000023

Date 4/30/91 Well No. OSF-60

Latitude 27° 41' 49" Longitude 80° 53' 48"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 14 Township 32S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8806

Driller MORISON DRILLING PUMP Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot./Air CT Auger Other _____

T. Depth - Driller 590' T. Depth - Logger 589'

Casing Depth Driller _____ Casing Depth Logger 326'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 589' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.02"

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 65' T.O.C. + 1.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUERHAUER Witnessed By: D. BUTLER

Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County OSCEOLA

Station I. D. 097000023

Date 4/30/91 Well No. OSF-60

Latitude 27° 41' 49" Longitude 80° 53' 48"

SW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 14 Township 32S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MARTAN DRILLING PUMP Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____

T. Depth - Driller 590' T. Depth - Logger 589'

Casing Depth Driller _____ Casing Depth Logger 326'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 589' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.02"

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use A.P.T. MONITOR

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

DATUM

K.B. _____ L.S. + 65' T.O.C. + 1.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C


T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.R. DAUBENHAUER Witnessed By: D. BUTLER

Comments: _____

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|---------------|-------------------------------------|
| Lateral 6' | <input checked="" type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. | <input type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input type="checkbox"/> | Single pt. | <input checked="" type="checkbox"/> |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OSCEOLA
 Station I. D. 0970000023
 Date 4/30/91 Well No. OSF-60
 Latitude 27° 41' 49" Longitude 80° 53' 48"
 S.W. 1/4 NE 1/4 Section 14 Township 32S Range 34E
 Owner S.F.W.M.D. Phone (407) 686-8800
 Driller Morgan Dettle & Pump Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. Air Auger Other _____
 T. Depth - Driller 590' T. Depth - Logger 589'
 Casing Depth Driller _____ Casing Depth Logger 326'
 Bit Size _____ Casing Dia. I.D. 7.8"
 Hole Dia. 8" From 0' To 589' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.02"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use A.P.T. MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____


WELL LOG

DATUM _____ L.S. + 65' T.O.C. + 1.0'
 K.B. _____
 FLUID QUALITY _____
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm
 Logged By: E.S. Dausenbauer Witnessed By: D. Butler
 Comments: _____

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	cel	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16" 64" normals	<input checked="" type="checkbox"/>	Temperature	<input checked="" type="checkbox"/>
Neutron	<input type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>	Single pt.	<input checked="" type="checkbox"/>

OSF-64



SOUTH FLORIDA WATER MANAGEMENT DISTRICT

FORM 0395
Rev 10/87



WELL LOG

WELL LOCATION
 County OSCEOLA
 Station I. D. 097000023 Well No. OSF-60
 Date 4/30/91 Longitude 80° 53' 48"
 Latitude 27° 41' 49" Township 14 Range 34E
 Section 14 NE 1/4
 Owner S.F.W.M.D. Phone (407) 686-8800
 Driller LOCATION DRILLING Date Drilled _____
 Witnessed By: D. BUTLER

WELL CONSTRUCTION
 Drilling Method: Rot. Air Auger Other _____
 T. Depth - Driller 590' T. Depth - Logger 589'
 Casing Depth Driller _____ Casing Depth Logger 326'
 Bit Size _____ Casing Dia. I.D. 7.8"
 Hole Dia. 8" From 0' To 589' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.02"
 Type of Screen OPEN HOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use A.P.I. MONITOR
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

DATUM
 K.B. _____ L.S. + 65' T.O.C. + 1.0'


FLUID QUALITY
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUGHER Witnessed By: D. BUTLER
 Comments: _____

TYPE OF SURVEYS RUN

Lateral 6'	()	Density	()
Caliper	(X)	cci	()
Flow meter	()	Fluid Sampler	()
16" 64" normals	(X)	Temperature	(X)
Neutron	()	Delta Temp.	()
Natural Gamma	(X)	SP	(X)
Fluid Resistivity	()	Single pt.	(X)

OBF-60





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County OSCEOLA

Station I. D. 0 9 7 0 0 0 0 0 2 3

Date 3/20/92 Well No. OSF-60

Latitude 27° 41' 49" Longitude 80° 53' 48"

S.W. 1/4 NE 1/4 Section 14 Township 32S Range 34E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller Monston Drilling & Pump Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot X Air CT Auger Other _____

T. Depth - Driller _____ T. Depth - Logger 589'

Casing Depth Driller _____ Casing Depth Logger 326'

Bit Size _____ Casing Dia. I.D. 7.8"

Hole Dia. 8" From 0' To 589' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.02"

Type of Screen OPEN HOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use A&T Monitor

Static Water Level _____ Date _____

Yield Flow _____ Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +65' NGVD T.O.C. +1.0'

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.F. DANKHAUER Witnessed By: D. DEMONSTRANT

Comments: Fallen up log.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-----|---------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | () | ocl | () |
| Flow meter | () | Fluid Sampler | () |
| 16' 64' normals | () | Temperature | () |
| Neutron | () | Delta Temp. | () |
| Natural Gamma | () | SP | () |
| Fluid Resistivity | () | Single-PT | () |

