

Sec. 30 TWP 48 Rge 28

ESTABLISH REF Elev AT GORD W# 4 (GG-4)

HTA	+	#.1.	-	Elev	Remarks
Bm Coll 39	6.51	18.485		11.975	FWD
GG-4 HW WELL			13.97	14.515 (14.75)	
					<u>ff</u>
GG-4 HW WELL	4.01	18.525			
Bm Coll 39		6.55		11.975	✓

Sec. 9 TWP 29 Rge 29

Bank Demonstration

Verify Ref. Elev for SNIVLY GW# 3. (well Reported disturbed)

HTA	+	#.1.	-	Elev	Remarks
Bm Pof 24	4.63	71.305		66.675 (66.029)	
GW# 3				1.845 ✓ 69.46 (69.495)	
GW# 2				1.645 69.66 (69.665)	
GW# 1				0.867 70.438 (70.46)	
GW# 4				1.695 69.61 (69.605)	
GW# 5] note: - Not being Monitored - Collapse
GW# 6					

[1469]
[1471]

SOUTH FLORIDA WATER MANAGEMENT DISTRICT



Survey Data Entry and Retrieval Application (SDERA) Print Output

Control Point Search Results

Derived Data - Denoted By: **

Designation	POF24	Record State	ACCEPTED
NGS PID			
Project Name	POF 24, POH 02, POS 06&07 WELL SITES	Date Entered/Updated	11/10/2015
Updated By	hehmke	Status	
Party Chief		Type	V
Monument Set By	KEITH AND ASSOCIATES INC	Date Established	01/01/2007
County		Section	9
Township	29	Range	29
Quadrangle	HESPERIDES	Offset (29 to 88)	
NGS Source BM		CCR Link	
Ctrl Pt Source(s)			

Horizontal	NAD 1927	NAD 1983	Vertical	NGVD 1929	NAVD 1988
Latitude		27 58 16.6	Class		
Longitude		81 25 03.3	Order	3	3
Northing(Y)		1322705.7	Elevation	66.675	65.469
Easting(X)		844154.4	Measurement Unit	Feet	Feet
Class					
Order					
NAD83 Adj Year					

Field Book
279

Field Book Pages
42-46

Stamping
POF 24 2007

How to Reach

The mark is in Polk County in Section 9, Township 29 South, Range 29 East.
 To reach: From the intersection of State Road 27 and State Road 60 in Lake Wales, go East-Southeast on State Road 60 for 8.2 miles to the junction of Boy Scout Road (Barney Keen Road) on the left; turn left on Boy Scout Road (Barney Keen Road) and go North approximately 3.4 miles to the junction of Camp Mack Road; turn right on Camp Mack Road and go Northeast approximately 2.9 miles to the junction of a rock road on the left; turn left on to the rock road and go North, then West, then North approximately 1.2 miles to well site POF 24, POH 2, POS 6 POS 7 and SNIVLY's and the benchmark on the right.
 The mark is a 3-1/2-inch brass SFWMD disk set in concrete, in line with east-west line of a 6-foot chain link fence, 2.45 feet East of the Southeast corner of the chain link fence.



Description
A 3-1/2-inch brass SFWMD disk set in concrete

DISCLAIMER:

The South Florida Water Management District (hereinafter referred to as the DISTRICT) shall not be held liable for improper or incorrect use of the data, information, apparatus, products, processes or materials described and/or contained herein. These data, information, apparatus, products, processes, materials and related graphics are not legal documents and are not intended

to be used as such. The user hereby recognizes that the information, data, apparatus, products, processes and materials are dynamic and may change over time without notice. However, the DISTRICT makes no commitment to update the information, data, apparatus, products, processes or materials contained herein.