

WELL COMPLETION REPORT

FORM 0124
Rev. 4/85


WELL PERMIT NO. _____

Owner So. Fla. Water Mgmt District P.O. Box 814 WPB FL 33402
Address City State Zip
Contractor's Name Tony Lubrano License No. 2928 Completion Date 6/19/86 City 10' State 20' Zip WT 1 & 2
Driller's Name Tony Lubrano Registration No. E-40052

TYPE OF WORK: Construct () Repair () Abandon ()
WELL USE: Domestic Well () Public () Monitor () Test ()
Irrigation () Fire Well () Other _____
METHOD: Rotary with MUD () or Air (), Cable Tool (), Jet ()
Casing Driven (), Other _____

STATIC WATER LEVEL 1 Ft. below top of casing
PUMPING WATER LEVEL _____ Ft. after _____ Hrs. at _____ GPM
PUMP SIZE _____ H.P. CAPACITY _____ GPM
PUMP TYPE _____ INTAKE DEPTH _____
From top of ground

LOCATION
Located Near Hwy 846
Gallagher Property
County Hendry
SE SW 14 47 32
26 23 19 81 05 55
Latitude-Longitude



LOCATE IN SECTION

Cuttings sent to District? () Yes
() No

Note: PWS Wells attach a site map if well location is different from site location on permit application.

Grout	Casing & Screen Diameter & Depth	Depth (ft)		DRILL CUTTINGS LOG Examine cuttings every 20 ft. or at formation changes Give color, grain size, and type of material Note cavities, depth to producing zones.
		From	To	
	<u>1 1/2 2"</u>	<u>6</u>	<u>1</u>	<u>sand, gray</u>
	<u>7 5"</u>	<u>1</u>	<u>3</u>	<u>shell, orange</u>
	<u>8' 10' 2"</u>	<u>3</u>	<u>20</u>	<u>shell, sand</u>
	<u>?</u>			
	<u>20'</u>			
Number of bags				
<u>2</u>				

Casing: Black Steel () Galv. () PVC () Fiberglass ()
Screen: Type PVC Slot size .020
Screened from 10 (ft.) to 20 (ft.)
Type of grout with % additives neat
Water: Clear () Colored () Sulphur () Salty () Iron ()
Conductivity _____ Chlorides _____ mg/l

WELL COMPLETION REPORT

FORM 0124
Rev. 4/85

WELL PERMIT NO. _____

So. Fla. Water Mgmt District P.O. Box V WPB FL 33402

Owner Tony Lubrano Address 2928 City 70 State 400 Zip H-308 D

Contractor's Name Tony Lubrano License No. E-40052 Completion Date 6/17/86 Casing Depth _____ Total Depth _____ Well # _____

Driller's Name Paul Benton Registration No. E-40766

TYPE OF WORK: Construct Repair () Abandon ()

WELL USE: Domestic Well () Public () Monitor Test ()

Irrigation () Fire Well () Other _____

METHOD: Rotary with MUD or Air (), Cable Tool (), Jet ()

Casing Driven (), Other _____

STATIC WATER LEVEL 3 Ft. below top of casing

PUMPING WATER LEVEL _____ Ft. after _____ Hrs. at _____ GPM

PUMP SIZE _____ H.P. CAPACITY _____ GPM

PUMP TYPE _____ INTAKE DEPTH _____ From top of ground


LOCATION

Located Near Hwy 846

County Hendry Co.

SE SW 14 47 32

26 23 19 81 05 55



LOCATE IN SECTION

Cuttings sent to District? Yes
() No

Note: PWS Wells attach a site map if well location is different from site location on permit application.

Grout	Casing & Screen	Depth (ft)		DRILL CUTTINGS LOG Examine cuttings every 20 ft. or at formation changes Give color, grain size, and type of material Note cavities, depth to producing zones.
		From	To	
	1 1/2" 2"	0	5	shell
	S S	5	50	sand and shell
		50	60	shell, limestone
		60	120	limestone, gray
		120	143	shell, limestone
		143	300	clay, dk olive
		300	320	clay, sand
	70 2"	320	392	clay
		392	400	limestone
Number of bags				Note: drilled to 400', cemented back to 100'
6				

Casing: Black Steel () Galv. () PVC Fiberglass ()
 Screen: Type PVC Slot size .020 gravel packed
 Screened from 70 (ft.) to 100 (ft.)
 Type of grout with % additives neat cement
 Water: Clear Colored () Sulphur () Salty () Iron ()
 Conductivity _____ Chlorides _____ mg/l