

Elapsed Time (min)	H/Ho	Drawdown	Datalogger Level (Ft)
0			20.93
0.0033		4.09	16.85
0.0066		2.94	18
0.0099		1.46	19.48
0.0133		3.54	17.4
0.0166		2.55	18.39
0.02		3.23	17.71
0.0233		2.89	18.05
0.0266	1	3.05	17.89
0.03	0.96065574	2.93	18.01
0.0333	0.96721311	2.95	17.99
0.05	0.94098361	2.87	18.07
0.0666	0.95409836	2.91	18.03
0.0833	0.96065574	2.93	18.01
0.1	0.93442623	2.85	18.09
0.1166	0.92459016	2.82	18.12
0.1333	0.92459016	2.82	18.12
0.15	0.91803279	2.8	18.14
0.1666	0.91147541	2.78	18.16
0.1833	0.90819672	2.77	18.17
0.2	0.90491803	2.76	18.18
0.2166	0.89836066	2.74	18.2
0.2333	0.89180328	2.72	18.22
0.25	0.8852459	2.7	18.24
0.2666	0.88196721	2.69	18.25
0.2833	0.87540984	2.67	18.27
0.3	0.86885246	2.65	18.29
0.3166	0.86885246	2.65	18.29
0.3333	0.86557377	2.64	18.3
0.4167	0.83934426	2.56	18.38
0.5	0.81639344	2.49	18.45
0.5833	0.79672131	2.43	18.51
0.6667	0.77377049	2.36	18.58
0.75	0.75409836	2.3	18.64
0.8333	0.73770492	2.25	18.69
0.9167	0.72131148	2.2	18.74
1	0.70163934	2.14	18.8
1.0833	0.68852459	2.1	18.84
1.1667	0.66885246	2.04	18.9
1.25	0.65245902	1.99	18.95
1.3333	0.63606557	1.94	19
1.4166	0.62295082	1.9	19.04
1.5	0.60655738	1.85	19.09
1.5833	0.59016393	1.8	19.14

1.6667	0.57704918	1.76	19.18
1.75	0.56721311	1.73	19.21
1.8333	0.55081967	1.68	19.26
1.9167	0.53442623	1.63	19.31
2	0.52131148	1.59	19.35
2.5	0.45245902	1.38	19.56
3	0.39344262	1.2	19.74
3.5	0.33770492	1.03	19.91
4	0.29180328	0.89	20.05
4.5	0.25245902	0.77	20.17
5	0.21967213	0.67	20.27
5.5	0.19016393	0.58	20.36
6	0.16393443	0.5	20.44
6.5	0.1442623	0.44	20.5
7	0.12131148	0.37	20.57
7.5	0.10819672	0.33	20.61
8	0.09180328	0.28	20.66
8.5	0.07868852	0.24	20.7
9	0.06885246	0.21	20.73
9.5	0.05901639	0.18	20.76
10	0.05245902	0.16	20.78
11	0.03934426	0.12	20.82
12	0.0295082	0.09	20.85
13	0.01967213	0.06	20.88
14	0.01311475	0.04	20.9
15	0.00983607	0.03	20.91
16	0.00327869	0.01	20.93
17	0.00327869	0.01	20.93
18	0.00327869	0.01	20.93
19	0.00327869	0.01	20.93
20	0.00327869	0.01	20.93
21	0	0	20.94
22	0	0	20.94