



CALIPER FLOW LOG

Company SFWMD  
 Well MF-41F  
 Field C-23  
 County MARTIN  
 State FLORIDA

Company SFWMD  
 Well MF-41F  
 Field C-23  
 County MARTIN  
 State FLORIDA

|                        |              |                        |  |           |  |                |  |
|------------------------|--------------|------------------------|--|-----------|--|----------------|--|
| Date                   | 11/21/2006   | Permanent Datum        |  | Elevation |  | Other Services |  |
| Run Number             | 5            | Log Measured From      |  |           |  | K.B.           |  |
| Depth Driller          | 1301'        | Drilling Measured From |  |           |  | D.F.           |  |
| Depth Logger           | 1301'        |                        |  |           |  | G.L.           |  |
| Bottom Logged Interval | 1301'        |                        |  |           |  |                |  |
| Top Log Interval       | 1080'        |                        |  |           |  |                |  |
| Open Hole Size         | 12"          |                        |  |           |  |                |  |
| Type Fluid             | WATER        |                        |  |           |  |                |  |
| Density / Viscosity    | NA           |                        |  |           |  |                |  |
| Max. Recorded Temp.    |              |                        |  |           |  |                |  |
| Estimated Cement Top   |              |                        |  |           |  |                |  |
| Time Well Ready        | 0600         |                        |  |           |  |                |  |
| Time Logger on Bottom  | 1630         |                        |  |           |  |                |  |
| Equipment Number       | VA-201       |                        |  |           |  |                |  |
| Location               | C-23 CANAL   |                        |  |           |  |                |  |
| Recorded By            | D.MARCHESANI |                        |  |           |  |                |  |
| Witnessed By           | PAUL BRADY   |                        |  |           |  |                |  |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

LOGS TAKEN BOTH STATIC AND DYNAMICALLY, WITH FLOW AT A MINIMUM OF 300 gpm, ie, Q~= 300  
 LINESPEED IS MAINTAINED AT 30 fpm THROUGHOUT.

Database File: c:\warrior\data\c-23 folder\29 nov folder\cal flow.db  
 Dataset Pathname: run2/merge1  
 Presentation Format: AWEFLO~1  
 Dataset Creation: Wed Nov 29 14:28:58 2006  
 Charted by: Depth in Feet scaled 1:240

