



SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
 Station I.D. 099000061
 Date 03/26/97 Well No. OP-15A
 Latitude 26 38 19 Longitude 80 25 39 X=687061 Y=838225
 SW1/4 SW1/4 NW1/4 SW1/4 Section 15 Township 44S Range 39E
 Owner S.F.W.M.D. Phone (561) 686-8800
 Driller NONE Date Drilled NONE

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Q NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA


WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size NA Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6" Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS NO COMMENTS





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 099000061
 Date 03/26/97 Well No. OP-15A
 Latitude 26 38 19 Longitude 80 25 39 X=687061 Y=838225
SW1/4 SW1/4 NW1/4 SW1/4 Section 15 Township 44S Range 39E
 Owner S.F.W.M.D. Phone (561) 686-8800
 Driller NONE Date Drilled NONE

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA

Scale NA

Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size NA Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR


TYPE OF SURVEYS RUN

Lateral 6"	()	Density	()
Caliper	(X)	ccl	()
Flow meter	()	Fluid Sampler	()
16", 64" normals	(X)	Temperature	()
Neutron	(X)	Delta Temp.	()
Natural Gamma	(X)	SP	(X)
Fluid Resistivity	()	Single Pt.	(X)

COMMENTS

NO COMMENTS

OP-15A





SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
Station I.D. 0990000061
Date 03/26/97 Well No. OP-15A
Latitude 26 38 19 Longitude 80 25 39 X=687061 Y=838225
SW1/4 SW1/4 NW1/4 SW1/4 Section 15 Township 44S Range 39E
Owner S.F.W.M.D. Phone (561) 686-8800
Driller NONE Date Drilled NONE

DATUM

L.S. +14.00' T.O.C. NA
FLUID QUALITY
Date NA Time NA Source of Sample NA
Cl NA mg/l Type of Fluid DRILLING MUD
Temp. NA o/C Field Density NA o/c
T.D.S. NA mg/l Spec. Cond. NA umhos/cm
Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
Scale NA
Digitized By: NA

WELL CONSTRUCTION


Drilling Method: Rot.(X) Air() CT() Auger() Other
T. Depth-Driller 102' T. Depth-Logger 102'
Casing Depth Driller NA Casing Depth Logger NA
Bit Size NA Casing Dia. I.D. NA
Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
Type of Casing NA Casing Thickness NA
Type of Screen OPEN HOLE Screen Int. From NA To NA
Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' () Density ()
Caliper () ccl ()
Flow meter () Fluid Sampler ()
16", 64" normals (X) Temperature ()
Neutron (X) Delta Temp. ()
Natural Gamma (X) SP (X)
Fluid Resistivity () Single PL (X)

COMMENTS

NO COMMENTS





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 0990000061
 Date 03/26/97 Well No. OP-15A
 Latitude 26 38 19 Longitude 80 25 39 X=687061 Y=838225
 SW1/4 SW1/4 NW1/4 SW1/4 Section 15 Township 44S Range 39E
 Owner S.F.W.M.D. Phone (561) 686-8800
 Driller NONE Date Drilled NONE

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 CI NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size NA Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 54" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS

NO COMMENTS

