


GEOPHYSICAL LOGS ASR-3

PILOT HOLE: CALIPER, GAMMA, INDUCTION

REAMED HOLE: CALIPER

CASING: TEMPERATURE



Southern Resource Exploration

P.O. Box 14311
Gainesville, Florida 32604
Phone 352-3725950

TEMPERATURE LOG

Company : WELL WATER SYSTEMS
Well : ASR-3
Location/Field : CORKSCREW
County : LEE
State : FL
Section : 15

OTHER SERVICES:

Township : 46S Range : 26E

Date : 02/10/99
Depth Driller : -
LOG BOTTOM : 289.00
LOG TOP : 3.60

Permanent Datum : .
Elev. Perm. Datum :
Log Meas. From : GL
Dri Meas. Frommom: GL

ELEVATIONS:
KB :
DF :
GL :

Casing Driller : 285
Casing Type : PVC
Cas. Thicknesss: -

Logging Unit : BWT
Field Office : GVL
Recorded By : MAF

Bit Size : 19
Magnetic Decl. :
Matrix Density :
Fluid Density :
Neutron Matrix :


Borehole Fluid : MUD
RM :
RM Temperature :
Matrix Delta T :
Fluid Delta T : 189


FILE : ORIGINAL
TYPE : ANIMT
LOG : 4.
PLOT :
THRESH: 5000

REMARKS:

TEMP LOG RUN 24 HOURS AFTER CEMENTING

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS






Southern Resource Exploration Inc.


P.O. Box 14311
Gainesville, Florida 32604
Phone 352-372-5950

CALIPER LOG

COMPANY	: WELL WATER SYSTEMS	OTHER SERVICES:	
WELL	: ASR-3		
LOCATION/FIELD	: CORKSCREW		
COUNTY	: LEE		
STATE	: FL		
SECTION	: 15	TOWNSHIP	: 46S
		RANGE	: 26E
DATE	: 02/08/99	PERMANENT DATUM	: .
DEPTH DRILLER	: 286	ELEV. PERM. DATUM:	KB :
LOG BOTTOM	: 287.80	LOG MEASURED FROM:	GL :
LOG TOP	: 8.00	DRL MEASURED FROM:	GL :
CASING DRILLER	: 41	LOGGING UNIT	: BWT
CASING TYPE	: STEEL	FIELD OFFICE	: GVL
CASING THICKNESS:	-	RECORDED BY	: MAF
BIT SIZE	: 19	BOREHOLE FLUID	: MUD
MAGNETIC DECL.	:	RM	:
MATRIX DENSITY	:	RM TEMPERATURE	:
FLUID DENSITY	:	MATRIX DELTA T	:
NEUTRON MATRIX	:	FLUID DELTA T	: 189
REMARKS	:	FILE	: PROCESSED
		TYPE	: 9065A2
		LOG	: 5
		PLOT	: CALIPER 2
		THRESH	: 5000

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS





Southern Resource Exploration

P.O. Box 14311
Gainesville, Florida 32604
Phone 352-372-5950

TEMPERATURE LOG

COMPANY : WELL WATER SYSTEMS
WELL : ASR-3
LOCATION/FIELD : CORKSCREW
COUNTY : LEE
STATE : FL
SECTION : 15

OTHER SERVICES:

TOWNSHIP : 46S RANGE : 26E

DATE : 02/09/99
DEPTH DRILLER : -
LOG BOTTOM : 281.40
LOG TOP : 21.20

PERMANENT DATUM : .
ELEV. PERM. DATUM :
LOG MEASURED FROM: GL
DRL MEASURED FROM: GL

ELEVATIONS:
KB :
DF :
GL :

CASING DRILLER : 285
CASING TYPE : PVC
CASING THICKNESS: -


LOGGING UNIT : BWT
FIELD OFFICE : GVL
RECORDED BY : MAF

BIT SIZE : 19
MAGNETIC DECL. :
MATRIX DENSITY :
FLUID DENSITY :
NEUTRON MATRIX :
REMARKS:

BOREHOLE FLUID : MUD
RM :
RM TEMPERATURE :
MATRIX DELTA T :
FLUID DELTA T : 189


FILE : ORIGINAL
TYPE : 9041A
LOG : 2.
PLOT :
THRESH: 5000

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS



GEOPHYSICAL LOGS ASR-3

OPEN HOLE: CALIPER, GAMMA, INDUCTION, FLOW



Southern Resource Exploration

P.O. Box 14311
Gainesville, Florida 32604
Phone 352-3725950

ASR #3

Company : WELL WATER SYSTEMS
Well : ASR #3
Location/Field : CORKSCREW
County : LEE
State : FL
Section : 15

OTHER SERVICES:



Township : 48S Range : 26E

Date : 03/02/99
Depth Driller : 347'
LOG BOTTOM : 346.20
LOG TOP : 4.40

Permanent Datum : .
Elev. Perm. Datum :
Log Meas. From : PAD
Dri Meas. Frommom: GL

ELEVATIONS:
KB :
DF :
GL :

Casing Driller : 285
Casing Type : PVC
Cas. Thicknesss: -

Logging Unit : BWT
Field Office : GVL
Recorded By : MAF


Bit Size :
Magnetic Decl. :
Matrix Density :
Fluid Density :
Neutron Matrix :


Borehole Fluid : WATER
RM :
RM Temperature :
Matrix Delta T :
Fluid Delta T : 189

FILE : PROCESSED
TYPE : 9065A2
LOG : asr3
PLOT :
THRESH: 5000

REMARKS:

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS






Southern Resource Exploration

P.O. Box 14311
Gainesville, Florida 32604
Phone 352-3725950

FLOWMETER ANALYSIS

Company : WELL WATER SYSTEMS
Well : ASR #3
Location/Field : CORKSCREW
County : LEE
State : FL
Section : 15

OTHER SERVICES:



Township : 48S Range : 28E

Date : 03/02/99
Depth Driller : 347'
LOG BOTTOM : 348.20
LOG TOP : 4.40

Permanent Datum : .
Elev. Perm. Datum :
Log Meas. From : PAD
Dri Meas. Frommom: GL

ELEVATIONS:
KB :
DF :
GL :

Casing Driller : 285
Casing Type : PVC
Cas. Thicknesss: -

Logging Unit : BWT
Field Office : GVL
Recorded By : MAF

Bit Size : 11
Magnetic Decl. :
Matrix Density :
Fluid Density :
Neutron Matrix :
REMARKS:

Borehole Fluid : WATER
RM :
RM Temperature :
Matrix Delta T :
Fluid Delta T : 189

FILE : PROCESSED
TYPE : 9065A2
LOG : asr3flo
PLOT :
THRESH: 5000

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

