



SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
 Station I.D. 099000083
 Date 04/18/97 Well No. OP-1A
 Latitude 26 41 01 Longitude 80 22 33 X=703740 Y=854628
 NE1/4 NE1/4 SW1/4 SW1/4 Section 32 Township 43S Range 39E
 Owner S.F.W.M.D. Phone (561) 686-8800
 Driller NONE Date Drilled 04/18/97

DATUM

L.S. +18.00' T.O.C. NA
 FLUID QUALITY
 Date NA Time NA Source of Sample NA
 CI NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/c
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAJENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION


Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS

NO COMMENTS





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 099000083
 Date 04/18/97 Well No. CP-1A
 Latitude 28 41 01 Longitude 80 22 33 X=703740 Y=854629
NE1/4 NE1/4 SW1/4 SW1/4 Section 32 Township 43S Range 39E
 Owner S.F.W.M.D. Phone (561) 686-8800
 Driller NONE Date Drilled 04/18/97

DATUM

L.S. +18.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION



Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	cd	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>	Single Pt.	<input checked="" type="checkbox"/>

COMMENTS

NO COMMENTS





SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
Station I.D. 082000063
Date 04/18/97 Well No. OP-1A
Latitude 26 41 01 Longitude 80 22 33 X=703740 Y=854629
NE1/4 NE1/4 SW1/4 SW1/4 Section 32 Township 43S Range 39E
Owner S.F.W.M.D. Phone (561) 686-8800
Driller NONE Date Drilled 04/18/97

DATUM

L.S. +18.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
Cl NA mg/l Type of Fluid DRILLING MUD
Temp. NA o/C Field Density NA o/C
T.D.S. NA mg/l Spec. Cond. NA umhos/cm
Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
Scale NA
Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot(X) Air() CT() Auger() Other
T. Depth-Driller 102' T. Depth-Logger 102'
Casing Depth Driller NA Casing Depth Logger NA
Bit Size 5 7/8" Casing Dia. I.D. NA
Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
Type of Casing NA Casing Thickness NA
Type of Screen OPEN HOLE Screen Int. From NA To NA
Yield Flow NA Well Use MONITOR


TYPE OF SURVEYS RUN

Lateral 6' (X) Density ()
Calliper (X) cal ()
Flow meter () Fluid Sampler ()
16", 64" normals (X) Temperature ()
Neutron (X) Delta Temp. ()
Natural Gamma (X) SP (X)
Fluid Resistivity () Single Pt. (X)

COMMENTS

NO COMMENTS

OP-1A





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 099000283
 Date 04/18/97 Well No. OP-1A
 Latitude 26 41 01 Longitude 80 22 33 X=703740 Y=854629
NE1/4 NE1/4 SW1/4 SW1/4 Section 32 Township 43S Range 39E
 Owner S.F.W.M.D. Phone (561) 686-8800
 Driller NONE Date Drilled 04/18/97

DATUM

L.S. +18.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 CI NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION


Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 5' Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS

NO COMMENTS





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 089000063
 Date 04/18/97 Well No. OP-1A
 Latitude 26 41 01 Longitude 80 22 33 X=703740 Y=854629
NE1/4 NE1/4 SW1/4 SW1/4 Section 32 Township 43S Range 39E
 Owner S.F.W.M.D. Phone (561) 886-8800
 Driller NONE Date Drilled 04/18/97

DATUM

L.S. +18.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6" (X) Density ()
 Caliper (X) ccl ()
 Flow meter () Fluid Sampler ()
 16", 64" normals (X) Temperature ()
 Neutron (X) Delta Temp. ()
 Natural Gamma (X) SP ()
 Fluid Resistivity () Single Pt. ()

COMMENTS

NO COMMENTS

