



**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 0990000066
 Date 03/19/97 Well No. OP-2A
 Latitude 26 35 33.2 Longitude 80 26 45.8 X=681023 Y=821428
 NW1/4 NW1/4 NE1/4 SW1/4 Section 34 Township 44S Range 39E
 Owner S.F.W.M.D. Phone (561)686-8800
 Driller NONE Date Drilled 03/14/97

DATUM

L.S. +13.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION


Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6"	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	cdl	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>	Single Pt.	<input checked="" type="checkbox"/>

COMMENTS

NO COMMENTS





SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
Station I.D. 0990000056
Date 03/19/97 Well No. OP-2A
Latitude 26 35 33.2 Longitude 80 26 45.8 X=681023 Y=821428
NW1/4 NW1/4 NE1/4 SW1/4 Section 34 Township 44S Range 39E
Owner S.F.W.M.D. Phone (561)686-8800
Driller NONE Date Drilled 03/14/97

DATUM

L.S. +13.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
Cl NA mg/l Type of Fluid DRILLING MUD
Temp. NA o/C Field Density NA o/C
T.D.S. NA mg/l Spec. Cond. NA umhos/cm
Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
Scale NA
Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. (X) Air () CT () Auger () Other
T. Depth-Driller 102' T. Depth-Logger 102'
Casing Depth Driller NA Casing Depth Logger NA
Bit Size 5 7/8" Casing Dia. I.D. NA
Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
Type of Casing NA Casing Thickness NA
Type of Screen OPEN HOLE Screen Int. From NA To NA
Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' (X) Density ()
Caliper (X) ccl ()
Flow meter () Fluid Sampler ()
16", 64" normals (X) Temperature ()
Neutron (X) Delta Temp. ()
Natural Gamma (X) SP (X)
Fluid Resistivity () Single Pt. (X)

COMMENTS

NO COMMENTS

OP-2A


2" 4" 6" 8" 10" 12"
HOLE DIA.
CALIPER
03/19/97
20'/MIN

00025

00050

00075

00100





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG**

WELL LOCATION

County PALM BEACH
 Station I.D. 099000066
 Date 03/19/97 Well No. OP-2A
 Latitude 26 35 33.2 Longitude 80 26 45.8 X=661023 Y=821426
 NW/4 NW/4 NE 1/4 SW 1/4 Section 34 Township 44S Range 39E
 Owner S.F.W.M.D. Phone (561)686-8800
 Driller NONE Date Drilled 03/14/97

DATUM

L.S. +13.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA


WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	cd	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>	Single Pl.	<input checked="" type="checkbox"/>

COMMENTS NO COMMENTS





SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
 Station I.D. 0990000066
 Date 03/19/97 Well No. OP-2A
 Latitude 26 35 33.2 Longitude 80 26 45.8 X=681023 Y=821428
 NW/4 NW/4 NE1/4 SW1/4 Section 34 Township 44S Range 39E
 Owner S.F.W.M.D. Phone (561)686-8800
 Driller NONE Date Drilled 03/14/97

DATUM

L.S. +13.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA



WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen InL. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS NO COMMENTS





SOUTH FLORIDA WATER MANAGEMENT DISTRICT
WELL LOG

WELL LOCATION

County PALM BEACH
 Station I.D. D990000066
 Date 03/19/97 Well No. OP-2A
 Latitude 26 35 33.2 Longitude 80 26 45.8 X=681023 Y=821426
 NW1/4 NW1/4 NE 1/4 SW1/4 Section 34 Township 44S Range 39E
 Owner S.F.W.M.D. Phone (561)686-8800
 Driller NONE Date Drilled 03/14/97

DATUM

L.S. +13.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA
 Cl NA mg/l Type of Fluid DRILLING MUD
 Temp. NA o/C Field Density NA o/C
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA
 Scale NA
 Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
 T. Depth-Driller 102' T. Depth-Logger 102'
 Casing Depth Driller NA Casing Depth Logger NA
 Bit Size 5 7/8" Casing Dia. I.D. NA
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA
 Type of Casing NA Casing Thickness NA
 Type of Screen OPEN HOLE Screen Int. From NA To NA
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral Density
 Caliper ccl
 Flow meter Fluid Sampler
 16", 64" normals Temperature
 Neutron Delta Temp.
 Natural Gamma SP
 Fluid Resistivity Single Pt.

COMMENTS

NO COMMENTS

