


Site Name **INRCTY**
 Station Names **OSF-100**
 Aquifers **Upper Floridan Aquifer**
 FDEP Identifier **Unknown**
 Date of summary **6/29/2017**

Lat / Long: **281521.4 / 813014.8**
 County: **Osceola**
 Wellhead Repair Date: **Unknown**



Date of photo: 11/8/2006

Survey data: **December 2007**
 Reference elevations: **71.98 ft NGVD 29 and 71.02 ft NAVD 88**
 Data Adjustments: **Conversion is 0.96 ft**
 References: **SFWMD survey 2007**

Monitor Zone		
Casing Material:	Steel	OSF-100,3/22/2012
Diameter:	4 inches	
Data Range:	2004 - 2012	
Sampling Events Analyzed:	15	
Water Type:	Ca-Mg-HCO3-SO4	
Field Parameter Averages Monitor Zone		
Field pH:	8.12	
Specific Conductance (uS/cm)	301	
Temperature (Celcius)	23.42	
TDS (mg/L)	184	
Water Level (ft NGVD 29)	no data	
Monitor Zone Ionic Ranges		
Parameter	Min (mg/L)	Max (mg/L)
Potassium (K)	1.44	2.61
Sodium (Na)	3.2	6.45
Calcium (Ca)	36	41
Magnesium (Mg)	8.9	10.3
Chloride (Cl)	4.2	9.4
Bicarbonate (HCO3)	76	94
Sulfate (SO4)	56	70