

Elapsed Time (Min)	H/Ho	Drawdown	Datalogger Levels (Ft)
0		2.53	29.09
0.0033		3.11	28.51
0.0066		3.3	28.32
0.0099		2.49	29.13
0.0133		3.37	28.25
0.0166		3.92	27.7
0.02		3.87	27.75
0.0233		3.3	28.32
0.0266		3.68	27.94
0.03	1	3.95	27.67
0.0333	0.979747	3.87	27.75
0.05	0.881013	3.48	28.14
0.0666	0.860759	3.4	28.22
0.0833	0.827848	3.27	28.35
0.1	0.792405	3.13	28.49
0.1166	0.762025	3.01	28.61
0.1333	0.731646	2.89	28.73
0.15	0.701266	2.77	28.85
0.1666	0.675949	2.67	28.95
0.1833	0.653165	2.58	29.04
0.2	0.627848	2.48	29.14
0.2166	0.605063	2.39	29.23
0.2333	0.582278	2.3	29.32
0.25	0.562025	2.22	29.4
0.2666	0.539241	2.13	29.49
0.2833	0.521519	2.06	29.56
0.3	0.501266	1.98	29.64
0.3166	0.483544	1.91	29.71
0.3333	0.465823	1.84	29.78
0.4167	0.389873	1.54	30.08
0.5	0.324051	1.28	30.34
0.5833	0.270886	1.07	30.55
0.6667	0.23038	0.91	30.71
0.75	0.194937	0.77	30.85
0.8333	0.164557	0.65	30.97
0.9167	0.141772	0.56	31.06
1	0.121519	0.48	31.14
1.0833	0.103797	0.41	31.21
1.1667	0.088608	0.35	31.27
1.25	0.078481	0.31	31.31
1.3333	0.068354	0.27	31.35
1.4166	0.058228	0.23	31.39
1.5	0.050633	0.2	31.42
1.5833	0.043038	0.17	31.45

1.6667	0.037975	0.15	31.47
1.75	0.035443	0.14	31.48
1.8333	0.032911	0.13	31.49
1.9167	0.03038	0.12	31.5
2	0.027848	0.11	31.51
2.5	0.017722	0.07	31.55
3	0.010127	0.04	31.58
3.5	0.010127	0.04	31.58
4	0.007595	0.03	31.59
4.5	0.005063	0.02	31.6
5	0.005063	0.02	31.6
5.5	0.005063	0.02	31.6
6	0.005063	0.02	31.6
6.5	0.005063	0.02	31.6
7	0.005063	0.02	31.6
7.5	0.005063	0.02	31.6
8	0.002532	0.01	31.61
8.5	0.002532	0.01	31.61
9	0.002532	0.01	31.61
9.5	0.002532	0.01	31.61
10	0.002532	0.01	31.61
11	0.002532	0.01	31.61
12	0.002532	0.01	31.61
13	0	0	31.62
14	0	0	31.62
15	0	0	31.62
16	0	0	31.62
17	0	0	31.62