



**SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG**

**WELL LOCATION**

County PALM BEACH  
 Station I.D. 0990000062  
 Date 04/10/97 Well No. P-12C  
 Latitude 26 37 58 Longitude 80 24 54 X=691062 Y=836116  
SE 1/4 NE 1/4 NE 1/4 NE 1/4 Section 23 Township 44S Range 39E  
 Owner S.F.W.M.D. Phone (561)686-8800  
 Driller NONE Date Drilled 04/10/97

**DATUM**

L.S. +14.00' T.O.C. NA

**FLUID QUALITY**

Date NA Time NA Source of Sample NA  
 Cl NA mg/l Type of Fluid DRILLING MUD  
 Temp. NA °C Field Density NA @ °C  
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA  
 Scale NA  
 Digitized By: NA

**WELL CONSTRUCTION**



Drilling Method: Rot.  Air  CT  Auger  Other   
 T. Depth-Driller 102' T. Depth-Logger 102'  
 Casing Depth Driller NA Casing Depth Logger NA  
 Bit Size 5 7/8" Casing Dia. I.D. NA  
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA  
 Type of Casing NA Casing Thickness NA  
 Type of Screen OPEN HOLE Screen Int. From NA To NA  
 Yield Flow NA Well Use MONITOR

**TYPE OF SURVEYS RUN**

Lateral 6"	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	ccf	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>	Single Pt.	<input checked="" type="checkbox"/>

**COMMENTS**

NO COMMENTS





SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG

WELL LOCATION

County PALM BEACH  
 Station I.D. 0990000062  
 Date 04/10/97 Well No. P-12C  
 Latitude 26 37 58 Longitude 80 24 54 X=691062 Y=836116  
SE 1/4 NE 1/4 NE 1/4 NE 1/4 Section 23 Township 44S Range 39E  
 Owner S.F.W.M.D. Phone (561)686-8800  
 Driller NONE Date Drilled 04/10/97

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA  
 Cl NA mg/l Type of Fluid DRILLING MUD  
 Temp. NA o/C Field Density NA o/C  
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA  
 Scale NA  
 Digitized By: NA



WELL CONSTRUCTION

Drilling Method: Rot.  Air  CT  Auger  Other   
 T. Depth-Driller 102' T. Depth-Logger 102'  
 Casing Depth Driller NA Casing Depth Logger NA  
 Bit Size 5 7/8" Casing Dia. I.D. NA  
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA  
 Type of Casing NA Casing Thickness NA  
 Type of Screen OPEN HOLE Screen Int. From NA To NA  
 Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral  Density   
 Caliper  ccl   
 Flow meter  Fluid Sampler   
 16", 64" normals  Temperature   
 Neutron  Delta Temp.   
 Natural Gamma  SP   
 Fluid Resistivity  Single Pt.

COMMENTS NO COMMENTS





**SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG**

**WELL LOCATION**

County PALM BEACH  
 Station I.D. 099000062  
 Date 04/10/97 Well No. P-12C  
 Latitude 26 37 58 Longitude 80 24 54 X=691062 Y=836116  
SE 1/4 NE 1/4 NE 1/4 NE 1/4 Section 23 Township 44S Range 39E  
 Owner S.F.W.M.D. Phone (561)686-8800  
 Driller NONE Date Drilled 04/10/97

**DATUM**

L.S. +14.00' T.O.C. NA

**FLUID QUALITY**

Date NA Time NA Source of Sample NA  
 Cl NA mg/l Type of Fluid DRILLING MUD  
 Temp. NA o/C Field Density NA o/C  
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA

**WELL CONSTRUCTION**

Drilling Method: Rot.  Air  CT  Auger  Other   
 T. Depth-Driller 102' T. Depth-Logger 102'  
 Casing Depth Driller NA Casing Depth Logger NA  
 Bit Size 5 7/8" Casing Dia. I.D. NA  
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA  
 Type of Casing NA Casing Thickness NA  
 Type of Screen OPEN HOLE Screen Int. From NA To NA  
 Yield Flow NA Well Use MONITOR

Scale NA  
 Digitized By: NA

**TYPE OF SURVEYS RUN**

Lateral 6'	<input checked="" type="checkbox"/>	Density	<input type="checkbox"/>
Caliper	<input checked="" type="checkbox"/>	ccl	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	Fluid Sampler	<input type="checkbox"/>
16", 64" normals	<input checked="" type="checkbox"/>	Temperature	<input type="checkbox"/>
Neutron	<input checked="" type="checkbox"/>	Delta Temp.	<input type="checkbox"/>
Natural Gamma	<input checked="" type="checkbox"/>	SP	<input checked="" type="checkbox"/>
Fluid Resistivity	<input type="checkbox"/>	Single Pt.	<input checked="" type="checkbox"/>

COMMENTS NO COMMENTS


P-12C

00025

00050

00075

00100







**SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG**

**WELL LOCATION**

County PALM BEACH  
 Station I.D. 0990000062  
 Date 04/10/97 Well No. P-12C  
 Latitude 26 37 58 Longitude 80 24 54 X=681062 Y=836116  
SE 1/4 NE 1/4 NE 1/4 NE 1/4 Section 23 Township 44S Range 39E  
 Owner S.F.W.M.D. Phone (561)686-8800  
 Driller NONE Date Drilled 04/10/97

**DATUM**

L.S. +14.00' T.O.C. NA

**FLUID QUALITY**

Date NA Time NA Source of Sample NA  
 Cl NA mg/l Type of Fluid DRILLING MUD  
 Temp. NA o/C Field Density NA o/C  
 T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
 Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA  
 Scale NA  
 Digitized By: NA

**WELL CONSTRUCTION**



Drilling Method: Rot.  Air  CT  Auger  Other   
 T. Depth-Driller 102' T. Depth-Logger 102'  
 Casing Depth Driller NA Casing Depth Logger NA  
 Bit Size 5 7/8" Casing Dia. I.D. NA  
 Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA  
 Type of Casing NA Casing Thickness NA  
 Type of Screen OPEN HOLE Screen Int. From NA To NA  
 Yield Flow NA Well Use MONITOR

**TYPE OF SURVEYS RUN**

Lateral 6'  Density   
 Caliper  ccl   
 Flow meter  Fluid Sampler   
 16", 64" normals  Temperature   
 Neutron  Delta Temp.   
 Natural Gamma  SP   
 Fluid Resistivity  Single Pt.

**COMMENTS**

NO COMMENTS





SOUTH FLORIDA WATER MANAGEMENT DISTRICT  
WELL LOG

WELL LOCATION

County PALM BEACH  
Station I.D. 0990000062  
Date 04/10/97 Well No. P-12C  
Latitude 26 37 58 Longitude 80 24 54 X=891062 Y=836116  
SE 1/4 NE 1/4 NE 1/4 NE 1/4 Section 23 Township 44S Range 39E  
Owner S.F.W.M.D. Phone (561)886-8800  
Driller NONE Date Drilled 04/10/97

DATUM

L.S. +14.00' T.O.C. NA

FLUID QUALITY

Date NA Time NA Source of Sample NA  
Cl NA mg/l Type of Fluid DRILLING MUD  
Temp. NA o/C Field Density NA o/C  
T.D.S. NA mg/l Spec. Cond. NA umhos/cm  
Logged By: E.P. DAUENHAUER Witnessed By: S. KRUPA  
Scale NA  
Digitized By: NA

WELL CONSTRUCTION

Drilling Method: Rot. (X) Air ( ) CT ( ) Auger ( ) Other  
T. Depth-Driller 102' T. Depth-Logger 102'  
Casing Depth Driller NA Casing Depth Logger NA  
Bit Size 5 7/8" Casing Dia. I.D. NA  
Hole Dia. 6" From 0' To 102' Dia. NA From NA To NA  
Type of Casing NA Casing Thickness NA  
Type of Screen OPEN HOLE Screen Int. From NA To NA  
Yield Flow NA Well Use MONITOR

TYPE OF SURVEYS RUN

Lateral 6' (X) Density ( )  
Caliper (X) ccl ( )  
Flow meter ( ) Fluid Sampler ( )  
16", 64" normals (X) Temperature ( )  
Neutron (X) Delta Temp. ( )  
Natural Gamma (X) SP 00  
Fluid Resistivity ( ) Single PL (X)

COMMENTS

NO COMMENTS

P-12C

2" 4" 6" 8" 10" 12"  
CALIPER HOLE DIA 04/10/97

00025

00050

00075

00100

