



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000034
Date 11/05/86 Well No. I95TH
Latitude 26° 48' 11" Longitude 80° 05' 53"
NW 1/4 SW 1/4 NW 1/4 Section 19 Township 42S Range 43E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRANO Date Drilled 11/05/86

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller 362' T. Depth - Logger 362'
Casing Depth Driller — Casing Depth Logger —
Bit Size — Casing Dia. I.D. —
Hole Dia. 6" From 0' To 362' Dia. From — To —
Type of Casing OPENHOLE Casing Thickness —
Type of Screen OPENHOLE Screen Int. From — To —
Type of Packing — Well Use EXPLORATORY
Static Water Level — Date —
Yield Flow — Pump —

DATUM


K.B. — L.S. 0.0' T.O.C. —

FLUID QUALITY

Date — Time — Source of Sample —
Cl — mg/l Type of Fluid —
Temp. — °C Field Density — @ — °C
T.D.S. — mg/l Spec. Cond. — µmhos/cm
Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ocl
Fluid Sampler
Temperature
Delta Temp.
SP





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
 Station I. D. 0990000034
 Date 11/05/86 Well No. I95TH
 Latitude 26° 48' 11" Longitude 80° 05' 53"
 NW 1/4 SW 1/4 NW 1/4 Section 19 Township 42S Range 43E
 Owner S.F.W.M.D. Phone (305) 686-8800
 Driller T. LUBRANO Date Drilled 11/05/86

DATUM

K.B. _____ L.S. 0.0' T.O.C. _____

FLUID QUALITY


Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI
 Comments: HOLE WAS PLUGGED AFTER LOGGING

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other _____
 T. Depth - Driller 362' T. Depth - Logger 362'
 Casing Depth Driller _____ Casing Depth Logger _____
 Bit Size _____ Casing Dia. I.D. _____
 Hole Dia. 6" From 0' To 362' Dia. From _____ To _____
 Type of Casing OPENHOLE Casing Thickness _____
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use EXPLORATORY
 Static Water Level _____ Date _____
 Yield Flow _____ Pump _____

TYPE OF SURVEYS RUN

Lateral 6' Density ()
 Caliper ccl ()
 Flow meter Fluid Sampler ()
 16", 64" normals Temperature ()
 Neutron Delta Temp. ()
 Natural Gamma SP ()
 Fluid Resistivity





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH

Station I. D. 0990000034

Date 11/05/86 Well No. I95TH

Latitude 26°48'11" Longitude 80°05'53"

NW 1/4 SW 1/4 NW 1/4 Section 19 Township 42S Range 43E

Owner S.F.W.M.D. Phone (305) 686-8800

Driller T. LUBRANO Date Drilled 11/05/86

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other

T. Depth - Driller 362' T. Depth - Logger 362'

Casing Depth Driller — Casing Depth Logger —

Bit Size — Casing Dia. I.D. —

Hole Dia. 6" From 0' To 362' Dia. From — To —

Type of Casing OPENHOLE Casing Thickness —

Type of Screen OPENHOLE Screen Int. From — To —

Type of Packing — Well Use EXPLORATORY

Static Water Level — Date —

Yield Flow — Pump —

DATUM

K.B. — L.S. 0.0' T.O.C. —

FLUID QUALITY

Date — Time — Source of Sample —

Cl — mg/l Type of Fluid —

Temp. — °C Field Density — @ — °C


T.D.S. — mg/l Spec. Cond. — umhos/cm

Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI

Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

- Lateral 6'
- Caliper
- Flow meter
- 16", 64" normals
- Neutron
- Natural Gamma
- Fluid Resistivity
- Density
- ocl
- Fluid Sampler
- Temperature
- Delta Temp.
- SP



REPRODUCTION OF THIS DOCUMENT IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THE DISTRICT ENGINEER

GAIN 10T OR



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County PALM BEACH
Station I. D. 0990000034
Date 11/05/86 Well No. I95TH
Latitude 26°48'11" Longitude 80°05'53"
NW 1/4 SW 1/4 NW 1/4 Section 19 Township 42S Range 43E
Owner S.F.W.M.D. Phone (305) 686-8800
Driller T. LUBRANO Date Drilled 11/05/86

WELL CONSTRUCTION

Drilling Method: Rot. Air CT Auger Other
T. Depth - Driller 362' T. Depth - Logger 362'
Casing Depth Driller — Casing Depth Logger —
Bit Size — Casing Dia. I.D. —
Hole Dia. 6" From 0' To 362' Dia. From — To —
Type of Casing OPENHOLE Casing Thickness —
Type of Screen OPENHOLE Screen Int. From — To —
Type of Packing — Well Use EXPLORATORY
Static Water Level — Date —
Yield Flow — Pump —

DATUM

K.B. — L.S. 0.0' T.O.C. —

FLUID QUALITY

Date — Time — Source of Sample —
Cl — mg/l Type of Fluid —
Temp. — °C Field Density — @ — °C
T.D.S. — mg/l Spec. Cond. — umhos/cm
Logged By: E.P. DAUENHAUER Witnessed By: A. TASSINARI
Comments: HOLE WAS PLUGGED AFTER LOGGING

TYPE OF SURVEYS RUN

Lateral 6'
Caliper
Flow meter
16", 64" normals
Neutron
Natural Gamma
Fluid Resistivity
Density
ccl
Fluid Sampler
Temperature
Delta Temp.
SP

