

LOGS PROVIDED:
NORMAL RESISTIVITIES
INDUCTION RESISTIVITIES
SPONTANEOUS POTENTIAL
SINGLE POINT RESISTIVITY
NATURAL GAMMA


Licensed and Insured


COMPANY:	RIMBAKER LLC		
WELL NAME:	L8FEB5L		
FIELD:	L-8 RESERVOIR		
COUNTRY:	USA	STATE:	FL
		COUNTY:	PALM BEACH
LOC:	N/A		
NOTES:	ALL SERVICES: CALIPER NATURAL GAMMA DUAL INDUCTION ELECTRIC SONIC		
SEC	TWP	RGE	


UND SURFACE

-80D22M33.99S
26D44M19.88S

DATE	13 May 14	TYPE FLUID IN HOLE	MUD
RUN No	1	SALINITY	
TYPELOG	DUAL IND+ELECTRIC	DENSITY	
DEPTH-DRILLER	115	LEVEL	
DEPTH-LOGGER	115.5	MAX. REC. TEMP.	
BTM LOGGED INTERVAL		LOGGING SPEED (FT/MIN)	25
TOP LOGGED INTERVAL		TROLLING DIRECTION	UP
DRILLER	CENTERLINE	PUMPING RATE (GPM)	
RECORDED BY	RIMBAKER LLC		
WITNESSED BY	B. COLLINS		

[illegible]





NOTES:

While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RIMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.

The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times.

If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

Certificate of Authorization GB 458

END OF LOG