

LOG STAGE: FINAL


**LOGS PROVIDED:**  
INDUCTION RESISTIVITIES  
NATURAL GAMMA


Licensed and Insured

COMPANY: RIMBAKER LLC	ALL SERVICES: DUAL INDUCTION NATURAL GAMMA
WELL NAME: L8FEB5L	
FIELD: L-8 RESERVOIR	
COUNTRY: USA STATE: FL	
COUNTY: PALM BEACH	
LOC: N/A	
NOTES:	
SEC TWP RGE	
ELEVATION:	COORDINATES:

LOG MEAS. FROM: GROUND SURFACE  
DRILLING MEAS. FROM:

DATE	5 Jun 14	TYPE FLUID IN HOLE	WATER
RUN No	1	SALINITY	
TYPELOG	DUAL INDUCTION	DENSITY	
DEPTH-DRILLER		LEVEL	
DEPTH-LOGGER	117.1	MAX. REC. TEMP.	
BTM LOGGED INTERVAL		LOGGING SPEED (FT/MIN)	25
TOP LOGGED INTERVAL		TROLLING DIRECTION	UP
DRILLER	CENTERLINE	PUMPING RATE (GPM)	
RECORDED BY	RIMBAKER LLC		
WITNESSED BY	J. JANZEN		

[illegible]



**NOTES:**  
While due care has been exercised in the performance of these measurements and observations, in accordance with methodologies utilized by the general practitioner, RIMBAKER LLC can make no representations, warranties, or guarantees with respect to latent or concealed conditions that may exist, which may be beyond the detection capabilities of the methodologies used, or that may extend beyond the areas and depths surveyed.  
The geophysical well logs show subsurface conditions as they existed at the dates and locations shown, and it is not warranted that they are representative of subsurface conditions at other locations and times.  
If, at any time, different subsurface conditions from those observed are determined to be present, we must be advised and allowed to review and revise our observations if necessary.

END OF LOG

---