



FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County BROWARD

Station I. D. Q1100000007

Date 12/16/92 Well No. DFM1

Latitude 26° 18' 57" Longitude 80° 07' 26"
X = 786997 Y = 721426

SW 1/4 NE 1/4 NE 1/4 Section 02 Township 48S Range 42E

Owner S.E.W.M.D. Phone (407) 686-8800

Driller MERRITT Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger _____ Other _____

T. Depth - Driller 1135' T. Depth - Logger 1135'

Casing Depth Driller 960' Casing Depth Logger 960'

Bit Size 5 7/8" Casing Dia. I.D. 05.98"

Hole Dia. 6" From 0' To 1135' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level FLOWING Date _____

Yield Flow 250 G.R.M. Pump _____

DATUM

K.B. _____ L.S. +10.00 NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C



T.D.S. _____ mg/l Spec. Cond. _____ μmhos/cm

Logged By: E.P. DAUBENHAUER Witnessed By: J. LUKASIEWICZ

Comments: BAD FLUID RESISTIVITY AND CALIPER DUE TO ANNULAR DEPOSITS AFFECTING TOOLS.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|-----------------|-------------------------------------|
| Lateral 6' | <input type="checkbox"/> | Density | <input type="checkbox"/> |
| Calliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input checked="" type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16" 64" normals | <input checked="" type="checkbox"/> | Temperature (Z) | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. (Z) | <input checked="" type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | | |





FORM 0395
Rev 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County BROWARD

Station I. D. 01100000007

Date 12/16/92 Well No. DFM1

Latitude 26° 18' 57" Longitude 80° 07' 26"
X = 786997 Y = 721426

SW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 02 Township 48S Range 42E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller MERIDITH Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger _____ Other _____

T. Depth - Driller 1135' T. Depth - Logger 1135'

Casing Depth Driller 960' Casing Depth Logger 960'

Bit Size 5 7/8" Casing Dia. I.D. 05.98"

Hole Dia. 6" From 0' To 1135' Dia. _____ From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Packing _____ Well Use MONITOR

Static Water Level FLOWING Date _____

Yield Flow 250 G.P.M. Pump _____

WELL LOG

DATUM

K.B. _____ L.S. +10.00' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm


Logged By: E.P. DAUENHAEFER Witnessed By: J. LUKASIEWICZ

Comments: BAD FLUID RESISTIVITY AND CALIPER DUE

TO ANNULAR DEPOSITS AFFECTING TOOLS.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|-------------------------------------|-----------------|-------------------------------------|
| Lateral 6' | <input type="checkbox"/> | Density | <input type="checkbox"/> |
| Caliper | <input checked="" type="checkbox"/> | ocl | <input type="checkbox"/> |
| Flow meter | <input checked="" type="checkbox"/> | Fluid Sampler | <input type="checkbox"/> |
| 16", 64" normals | <input checked="" type="checkbox"/> | Temperature (Z) | <input checked="" type="checkbox"/> |
| Neutron | <input type="checkbox"/> | Delta Temp. (Z) | <input checked="" type="checkbox"/> |
| Natural Gamma | <input checked="" type="checkbox"/> | SP | <input checked="" type="checkbox"/> |
| Fluid Resistivity | <input checked="" type="checkbox"/> | | |



20'/MIN.
12/16/92
DOWN LOG



FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT



WELL LOCATION

County Broward
 Station I. D. 0110000007
 Date 12/16/92 Well No. DFM1
 Latitude 26° 18' 57" N Longitude 80° 07' 26" W
 Section 02 Township 48S Range 42E
 Owner S.F.W.M.D. Phone (407) 686-8800
 Driller MERIDITH Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. X Air CT Auger _____ Other _____
 T. Depth - Driller 1135' T. Depth - Logger 1135'
 Casing Depth Driller 960' Casing Depth Logger 960'
 Bit Size 5 7/8" Casing Dia. I.D. 05.98"
 Hole Dia. 6" From 0' To 1135' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level FLOWING Date _____
 Yield Flow 250 G.P.M. Pump _____

WELL LOG

DATUM
 K.B. _____ L.S. +10.00' NGVD T.O.C. _____
 FLUID QUALITY
 Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ umhos/cm
 Logged By: E.P. DAUENHAUER Witnessed By: J. LUKASIEWICZ
 Comments: BAD FLUID RESISTIVITY AND CALIPER DUE TO ANNULAR DEPOSITS AFFECTING TOOLS.

TYPE OF SURVEYS RUN
 Lateral G' Density
 Caliper ocl
 Flow meter Fluid Sampler
 16", 64" normals Temperature (Z)
 Neutron Delta Temp. (Z)
 Natural Gamma SP
 Fluid Resistivity (Z)





FORM 0395
REV 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County BROWARD
 Station I. D. 0110000007
 Date 12/16/92 Well No. DFM1
 Latitude 26° 18' 57" Longitude 80° 07' 26"
 $X = 786997$ $Y = 721426$
 SW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 02 Township 48S Range 42E
 Owner S.F.W.M.D. Phone (407) 686-8800
 Driller MERRITT Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. X Air CT Auger _____ Other _____
 T. Depth - Driller 1135' T. Depth - Logger 1135'
 Casing Depth Driller 960' Casing Depth Logger 960'
 Bit Size 5 7/8" Casing Dia. I.D. 05.98"
 Hole Dia. 6" From 0' To 1135' Dia. _____ From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen OPENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level FLOWING Date _____
 Yield Flow 250 G.P.M. Pump _____

DATUM

K.B. _____ L.S. +10.00' NGVD T.O.C. _____

FLUID QUALITY



Date _____ Time _____ Source of Sample _____
 Cl _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.D.S. _____ mg/l Spec. Cond. _____ μ mhos/cm

Logged By: E.P. DAUBENHAUER Witnessed By: J. LUKASIEWICZ

Comments: BAD FLUID RESISTIVITY AND CALIPER DUE TO ANNULAR DEPOSITS AFFECTING TOOLS.

TYPE OF SURVEYS RUN

- | | | | |
|-------------------|---------|-----------------|-----|
| Lateral 6' | () | Density | () |
| Caliper | (X) | ocl | () |
| Flow meter | (X) | Fluid Sampler | () |
| 16", 64" normals | () | Temperature (Z) | (X) |
| Neutron | () | Delta Temp. (Z) | (X) |
| Natural Gamma | (X) | Sp | () |
| Fluid Resistivity | (X) (Z) | | |





FORM 0395
Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOG

WELL LOCATION

County BROWARD

Station I. D. 0110000007

Date 12/16/92 Well No. DFM1

Latitude 26° 18' 57" Longitude 80° 07' 26"

Sec. 18 T. 57 S. 12142E

SW 1/4 NE 1/4 Section 02 Township 48S Range 42E

Owner S.F.W.M.D. Phone (407) 686-8800

Driller UNASSIGNED Date Drilled _____

WELL CONSTRUCTION

Drilling Method: Rot. X Air CT Auger Other

T. Depth - Driller 1135' T. Depth - Logger 1135'

Casing Depth Driller 960' Casing Depth Logger 960'

Bit Size 5 7/8" Casing Dia. I.D. 05.98"

Hole Dia. 6" From 0' To 1135' Dia. From _____ To _____

Type of Casing P.V.C. Casing Thickness 0.2"

Type of Screen OPENHOLE Screen Int. From _____ To _____

Type of Paving _____ Well Use MONITORING

Static Water Level FLOWING Date _____

Yield Flow 250 G.P.M. Pump _____

DATUM

K. B. _____ L.S. +10.00' NGVD T.O.C. _____

FLUID QUALITY

Date _____ Time _____ Source of Sample _____

Cl _____ mg/l Type of Fluid _____

Temp. _____ °C Field Density _____ @ _____ °C

T.D.S. _____ mg/l Spec. Cond. _____ Jumbos/cm


Logged By: E.P. DUBASHEWAK Witnessed By: J. LUKASIEWICZ

Comments: Gas Fluid Resistivity and Caliper Data

To Annular Deposits Affecting Tools.

TYPE OF SURVEYS RUN

- Lateral 6' Density
- Caliper ocl
- Flow meter Fluid Sampler
- 16" 64" norms Temperature (T)
- Neutron Delta Temp. (ΔT)
- Natural Gamma SP
- Fluid Resistivity





FORM 2095 Rev. 10/87

SOUTH FLORIDA WATER MANAGEMENT DISTRICT

WELL LOCATION

County Broward
 Station I.D. 0110000007
 Date 12/16/92 Well No. DEM1
 Latitude 26° 16' 57" Longitude 80° 07' 26"
 SW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 02 Township 48S Range 42E
 Owner S.E.M.M.D. Phone (407) 686-8800
 Driller CONCRETE Date Drilled _____
 WELL CONSTRUCTION
 Drilling Method: Rot. X-Air CT Auger Other _____
 T. Depth - Driller 1135' T. Depth - Logger 1135'
 Casing Depth Driller 960' Casing Depth Logger 960'
 Bit Size 5 7/8" Casing Dia. I.D. 05.98"
 Hole Dia. 6" From 0' To 1134' Dia. From _____ To _____
 Type of Casing P.V.C. Casing Thickness 0.2"
 Type of Screen SCREENHOLE Screen Int. From _____ To _____
 Type of Packing _____ Well Use MONITOR
 Static Water Level FLDURING Date _____
 Yield Flow 250 G.P.M. Pump _____

WELL LOG

DATUM _____ L.S. +1000' MEVD T.O.C. _____
 K.B. _____
 FLUID QUALITY _____
 Date _____ Time _____ Source of Sample _____
 CI _____ mg/l Type of Fluid _____
 Temp. _____ °C Field Density _____ @ _____ °C
 T.O.S. _____ mg/l Spec. Cond. _____ Jumbos/cm
 Logged By: E.R. DANENHAUER Witnessed By: J. LUKASIEWICZ
 Comments: BAD FLUID RESISTIVITY AND CALIBRE DUE TO ANNULAR DEPOSITS AFFECTING TOOLS.

TYPE OF SURVEYS RUN
 Lateral 6' Density
 Calliper ccl
 Flow meter Fluid Sampler
 15' 64" normals Temperature (Z)
 Neutron Delta Temp. (Z)
 Natural Gamma SP
 Fluid Resistivity (K12)

